

## Metacat - Bug #1047

### Create triggers on LTER tables for ldap insert

04/18/2003 11:32 AM - David Blankman

<b>Status:</b>	Resolved	<b>Start date:</b>	04/18/2003
<b>Priority:</b>	Normal	<b>Due date:</b>	
<b>Assignee:</b>	David Blankman	<b>% Done:</b>	0%
<b>Category:</b>	harvester	<b>Estimated time:</b>	0.00 hour
<b>Target version:</b>	Postpone	<b>Spent time:</b>	0.00 hour
<b>Bugzilla-Id:</b>	1047		
<b>Description</b>			
Need insert and update triggers for person, contact, lter tables. to insert records into LDAP table.			

### History

#### #1 - 04/18/2003 11:59 AM - Matt Jones

David,  
I understand the need for this type of integration, but I wanted to note that this harvester software MUST run outside of the LTER network as well, so it should not have dependencies on particular LTER systems. In particular, it will need to be run at NCEAS and other sites as part of metacat, and be distributed with the metacat releases. This comment applies to other similar bugs that were recently submitted as well.

#### #2 - 09/20/2004 10:44 AM - Duane Costa

David completed these triggers in January, 2004.

This issue is local to the LTER Network Office. It involves updating LDAP entries at LTER based on changes made to the LTER database. Since this is independent of Metacat or Harvester, future maintenance issues will be tracked in the LNO Request Tracker.

#### #3 - 03/27/2013 02:16 PM - Redmine Admin

Original Bugzilla ID was 1047