

Metacat - Bug #113

need "dataset oriented" html interface for results

09/20/2000 10:55 AM - Matt Jones

Status:	Resolved	Start date:	09/20/2000
Priority:	Normal	Due date:	
Assignee:	Chad Berkley	% Done:	0%
Category:	marine	Estimated time:	0.00 hour
Target version:	Beta1 (AnnMeet2000)	Spent time:	0.00 hour
Bugzilla-Id:	113		
Description			
<p>The current HTML interface displays result sets as a table, with all metadata documents displayed. We need to modify this so that only "dataset" proxies are displayed and the "related" metadata documents and data entities are displayed as a collapsible hierarchical tree below each data set entry. For example:</p> <ul style="list-style-type: none">• Dataset title * general metadata * data entity 1 * metadata for data entity 1 * data entity 2 * metadata for data entity 2			
Related issues:			
Is duplicate of Metacat - Bug #28: need doctype backtracing/linking feature a...		Resolved	06/20/2000

History

#1 - 09/20/2000 12:51 PM - Chad Berkley

This addition to the functionality will be aided by the completion of the package spec. Packaging can be used to create this backtracking effect.

#2 - 09/20/2000 12:52 PM - Chad Berkley

- Bug 28 has been marked as a duplicate of this bug. ***

#3 - 09/27/2000 08:23 AM - Chad Berkley

Created a backtracking scheme derived from relationships entered under the package dtd. The servlet parameter returndoc is used to specify what kind of document(s) should be displayed. When a query is performed, if the system makes a hit on a document that is not of type returndoc then it traces the relationship looking for a relationship between the hit document and a document of type returndoc. If a relationship is found the related document is returned, if not the original is returned.

#4 - 03/27/2013 02:13 PM - Redmine Admin

Original Bugzilla ID was 113