

## SEEK - Bug #1746

### ENM IIIG - Saving GARP Rulesets for Climate Variation Calcs

10/26/2004 11:46 AM - Dan Higgins

<b>Status:</b>	In Progress	<b>Start date:</b>	10/26/2004
<b>Priority:</b>	Normal	<b>Due date:</b>	
<b>Assignee:</b>	Jing Tao	<b>% Done:</b>	0%
<b>Category:</b>	beam	<b>Estimated time:</b>	0.00 hour
<b>Target version:</b>	Unspecified	<b>Spent time:</b>	0.00 hour
<b>Bugzilla-Id:</b>	1746		
<b>Description</b>			
RuleSets that come from GARP calculations may need to be saved to the ECOGRID for further use (e.g. climate change predictions). We need the ability to save data to metacat/SRB for later retrieval. This will involve saving data and generating sufficient metadata so it can be located in the future.			
<b>Related issues:</b>			
Blocked by SEEK - Bug #1737: ENM III - ENM/GARP Calculations		<b>Resolved</b>	<b>10/22/2004</b>

#### History

##### #1 - 01/04/2005 11:04 AM - Dan Higgins

Note that we need to be able to save not only save RuleSets, but also a number of GARP result maps (grids) so that results for various climates can be compared.

##### #2 - 03/27/2013 02:18 PM - Redmine Admin

Original Bugzilla ID was 1746