

Kepler - Bug #1898

Redesign the web service harvester and create design documentation

01/20/2005 11:56 AM - Ilkay Altintas

Status:	Closed	Start date:	01/20/2005
Priority:	Normal	Due date:	
Assignee:	Ilkay Altintas	% Done:	0%
Category:	general	Estimated time:	0.00 hour
Target version:	3.X.Y	Spent time:	0.00 hour
Bugzilla-Id:	1898		
Description A document on how to do the harvesting to fit inn with the new dynamic actor loading, annotation, etc. The harvested services should not be kept in the repository, and they should be updated everytime the Kepler client is loaded. We probably need to have a metarepository in the end to keep track of the repositories and keywords that were searched and also collect some information on the user's interest.			

History

#1 - 10/17/2005 11:10 AM - Ilkay Altintas

We need to discuss next week what harvesting web services mean for Kepler in the new kar-based architecture. Then this can be implemented in 1-2 months.

#2 - 11/02/2005 12:33 PM - Matt Jones

The web service harvester should probably become part of the left hand pane to allow for a user to choose a UDDI (etc) repository and harvest the services into actors. This might wait until after the 1.0.0 release if its not obvious how to do it.

#3 - 11/24/2009 03:39 AM - Leo Charles

fixed

#4 - 11/24/2009 03:40 AM - Leo Charles

closed

#5 - 11/24/2009 03:40 AM - Leo Charles

closed & fixed

#6 - 03/27/2013 02:18 PM - Redmine Admin

Original Bugzilla ID was 1898