

Metacat - Bug #2168

Persisting delta-time replication settings in metacat.properties

08/11/2005 03:53 PM - Jing Tao

<b>Status:</b>	Resolved	<b>Start date:</b>	08/11/2005
<b>Priority:</b>	Normal	<b>Due date:</b>	
<b>Assignee:</b>	Jing Tao	<b>% Done:</b>	0%
<b>Category:</b>	metacat	<b>Estimated time:</b>	0.00 hour
<b>Target version:</b>	1.6	<b>Spent time:</b>	0.00 hour
<b>Bugzilla-Id:</b>	2168		
<b>Description</b> Currently the delta-time replication settings (e.g. on or off setting and time setting) is in memory. If tomcat was restarted and the setting will be gone. So user should be reset it again. This is not convenient. Those setting should be persisted in metacat.property file.			

History

#1 - 09/08/2005 05:08 PM - Jing Tao

In Option class in utilities module, a new method setOption was added. This method can reset or add a property value in properties file. An new method setOption in MetacatUtil was added too which will call the new method in Option class.

Three new parameter: timereplication, firstTimeReplication and timeinterval were added in Metacat.properties. They will stored the timed replication parameter.

#2 - 03/27/2013 02:19 PM - Redmine Admin

Original Bugzilla ID was 2168