

Metacat - Bug #2496

Wrong values indexed when empty tags are indexed

07/20/2006 10:36 AM - Saurabh Garg

Status:	Closed	Start date:	07/20/2006
Priority:	Normal	Due date:	
Assignee:	Michael Daigle	% Done:	0%
Category:	metacat	Estimated time:	0.00 hour
Target version:	Unspecified	Spent time:	0.00 hour
Bugzilla-Id:	2496		
Description			
The indexing code fails when the xml document has empty tags. Example of this is knb-lter-sbc.13 There is an empty protocol>creator>individualName>surName element and because of that http://sbcdata.lternet.edu/external/Reef/Protocols/Bottom_Temperature/Continuous_Temperature_Protocol.pdf shows up as contact last name in the end results.			
Related issues:			
Blocks Metacat - Bug #2469: DocumentImpl.buildIndex() does not index XPath...		Resolved	06/22/2006

History

#1 - 01/18/2007 03:34 PM - Chris Jones

This bug should be fixed with the recent changes to bug [#2469](#), but I haven't verified that it is completely fixed. The indexing mechanism in DocumentImpl.buildIndex() has been modified to correct offset indexing, and should cover this issue as well. Testing needs to be done.

#2 - 03/27/2013 02:20 PM - Redmine Admin

Original Bugzilla ID was 2496

#3 - 04/09/2013 06:17 PM - ben leinfelder

- Status changed from New to Closed

probably resolved by the related bug (6 years ago)