

## Morpho - Bug #254

### Look up id sequence on morpho startup

07/12/2001 09:54 AM - Matt Jones

<b>Status:</b>	Resolved	<b>Start date:</b>	07/12/2001
<b>Priority:</b>	Normal	<b>Due date:</b>	
<b>Assignee:</b>	Dan Higgins	<b>% Done:</b>	0%
<b>Category:</b>	morpho - general	<b>Estimated time:</b>	0.00 hour
<b>Target version:</b>	Beta2	<b>Spent time:</b>	0.00 hour
<b>Bugzilla-Id:</b>	254		
<b>Description</b>			
Allow users to move from one machine to another by looking up the max accession			
1. from metacat and using it to set the "lastId" property in morpho.			
<b>Related issues:</b>			
Blocks Metacat - Bug #248: id finder needed for metacat		<b>Resolved</b>	<b>07/10/2001</b>

### History

#### #1 - 07/30/2001 10:07 AM - Chad Berkley

changed status to p2

#### #2 - 10/15/2001 04:37 PM - Dan Higgins

Morpho now uses the Metacat capability to return the maxID for a user (action=getlastid with username) and set the users profile xml appropriately

Apparently, however, Metacat does NOT return the last ID (It seems to return the last id of a dataset document).

#### #3 - 10/18/2001 05:46 PM - Dan Higgins

Discrepancy fixed by changing order of sending docs to Metacat

#### #4 - 03/27/2013 02:13 PM - Redmine Admin

Original Bugzilla ID was 254