

EML - Bug #2576

Data Manager Library: Database Connection Pooling

10/27/2006 01:11 PM - Duane Costa

Status:	In Progress	Start date:	10/27/2006
Priority:	Normal	Due date:	
Assignee:	Jing Tao	% Done:	0%
Category:	datamanager	Estimated time:	0.00 hour
Target version:	DataManager 1.0.0	Spent time:	0.00 hour
Bugzilla-Id:	2576		

Description

Rework the design and implementation of database connection pooling in the Data Manager Library. Provide a callback mechanism for the calling application to manage its own connection pool. This should include a mechanism for returning a "Connection not available" status to the Data Manager so that it will know that it needs to wait until a connection is available. The Data Manager should generally use one connection per operation, though if the operation has several steps it could re-use the same connection in more than one step if it's safe to do so.

History

#1 - 10/09/2007 03:47 PM - ben leinfelder

As part of the work done on bug [#2979](#), it came to light that there was a significant bottleneck when hitting the database to look up entity/attribute names to generate SQL queries.

An alternative to the `org.ecoinformatics.datamanager.database.DatabaseConnectionPoolInterfaceTest` implementation of `DatabaseConnectionPoolInterface` was created: the `org.ecoinformatics.datamanager.database.pooling.*` classes along with [another] properties file (`pooling.properties`). The `DatabaseConnectionPoolInterface` implementations (currently HSQL and Postgres) use the connection pooling provided in their respective libraries and *dramatically* enhanced performance (~tenfold reduction). A calling app would rely on the `DatabaseConnectionPoolInterfaceFactory` (and correct settings in `pool.properties`) to provide a `DatabaseConnectionPoolInterface` instance. Feedback on this approach is appreciated as I'm not certain it meets all the requirements originally specified in this bug.

#2 - 01/11/2010 11:19 AM - ben leinfelder

We might also want to exploit third party connection pooling resources - web app containers and application context providers come to mind, maybe the apache commons pooling tool.

At one point I experimented with hooking into Metacat's existing (roll your own) connection pooling, but it proved more difficult than I'd anticipated and also blurred the lines between the different databases in a way that seemed slightly risky given the newness of DML.

As the DML is exercised, I think it'll be more obvious if and how additional connection pooling strategies can be used.

#3 - 03/27/2013 02:20 PM - Redmine Admin

Original Bugzilla ID was 2576