

InfoVeg - Bug #2860

DS+Protocol: Add "U" = Unknown stem source

06/02/2007 03:20 PM - Michael Lee

Status:	Resolved	Start date:	06/02/2007
Priority:	Normal	Due date:	
Assignee:	Michael Lee	% Done:	0%
Category:	ProtocolDoc	Estimated time:	0.00 hour
Target version:	x2007-Aug	Spent time:	0.00 hour
Bugzilla-Id:	2860		
Description <p>Source. The manual is silent on what to do when there is uncertainty about the source of planted material. Should we allow multiple guesses, or should we allow one guess with an indication of uncertainty (eg a ?)? Adding a column for certainty of origin might help. I favor the addition of a column for uncertainty. What would you folks prefer?</p> <p>Action Item: All respond to Michael with preferences, who will collate them, make a decision, and implement it in the Manual and on the datasheets.</p>			

History

#1 - 07/05/2007 12:27 PM - Michael Lee

Discussing on phone call July 5th, 2007:

We should allow a new value: uncertain (U)

#2 - 07/06/2007 08:37 AM - Michael Lee

Value added to entry tool. Discussion of this needs to be added to protocol and datasheets.

#3 - 07/06/2007 10:57 AM - Michael Lee

done version 4.1.2 protocol and b38 datasheets

#4 - 03/27/2013 02:21 PM - Redmine Admin

Original Bugzilla ID was 2860