

InfoVeg - Bug #2862

Add rationale for subsampling/stem cut-offs (affects entry-tool too)

06/02/2007 03:21 PM - Michael Lee

Status:	Resolved	Start date:	06/02/2007
Priority:	Normal	Due date:	
Assignee:	Michael Lee	% Done:	0%
Category:	EntryDB	Estimated time:	0.00 hour
Target version:	x2007-Aug	Spent time:	0.00 hour
Bugzilla-Id:	2862		
Description			
<p>The Levels 2&3 natural stem datasheet allows for selection of 1 of 4 cutoff heights and also species specific subsamples for stems. There is a concern that contractors will abuse these options in the interest of maximizing the number of plots sampled per day. At a minimum we should require that a rationale be recorded for any change in these options from 10 cm and and 100%. Further, it may be necessary to develop guidelines for when such modification is permissible, though this is probably more a contractual matter for EEP than a real change in the protocol. Regardless, the manual should be modified to require the rationale and to advise the guidelines may be set by EEP.</p> <p>Action Item: Steve drafts guidelines in consultation with CVS personnel. Action Item: Michael implements changes as described above</p>			

History

#1 - 07/06/2007 12:50 PM - Michael Lee

Quoting above: "At a minimum we should require that a rationale be recorded for any change in these options from 10 cm and and 100%."

This is implemented in the datasheets version b39. We still have to think about when it is permissible from a business rule point of view. Entry tool needs to accept this new info, too.

#2 - 07/09/2007 12:39 PM - Michael Lee

added to entry tool on v211p38

still needs to go in protocol.

#3 - 07/09/2007 12:49 PM - Michael Lee

added to version 4.1.3 of protocol. The rest of this is done, except for business rules about how and when to subsample or change the cut-off, which I will add a new bug for that (that is bug 2885)

#4 - 03/27/2013 02:21 PM - Redmine Admin

Original Bugzilla ID was 2862