

Kepler - Bug #3131

R is not added to the path

02/05/2008 01:31 PM - Chad Berkley

Status:	Resolved	Start date:	02/05/2008
Priority:	Immediate	Due date:	
Assignee:	Chad Berkley	% Done:	0%
Category:	installer	Estimated time:	0.00 hour
Target version:	1.0.0rc1	Spent time:	0.00 hour
Bugzilla-Id:	3131		
Description			
The errors cxh got with R seem to be coming from the fact that R is installed, but not put into the path on windows. I'm trying to figure out how to do that with IzPack right now.			
Related issues:			
Is duplicate of Kepler - Bug #3133: R is not added to the path		Resolved	02/05/2008
Blocks Kepler - Bug #3101: Inclusion of R executable for Mac and Linux ?		Resolved	01/24/2008

History

#1 - 02/05/2008 01:40 PM - Dan Higgins

You should not need to add R to the path if it is installed with the installer. If the R.zip is installed inside \$KEPLER, the RExpression actor will find it.

If not installed inside Kepler, it will need to be on the path (and adding something to the Path permanently is not easy in Windows).

Dan

#2 - 02/05/2008 01:51 PM - Chad Berkley

- Bug 3133 has been marked as a duplicate of this bug. ***

#3 - 02/05/2008 02:02 PM - Chad Berkley

The error is actually with the ExternalExec actor in the 08-CommandLine_2.xml demo. It tries to call R on the command line, which fails if R is not in the path.

#4 - 02/07/2008 02:25 PM - Chad Berkley

R is now added to the path on windows. We are not including the R installation for the mac or linux installer so i'm going to wait for the resolution of bug 3101 before I worry about doing the same for osx/linux.

#5 - 02/14/2008 10:46 AM - Chad Berkley

I'm closing this because right now, the only way to get R to work on linux or mac is to install it yourself and put it in the path. when bug 3101 is resolved, this can be revisited.

#6 - 03/27/2013 02:22 PM - Redmine Admin

Original Bugzilla ID was 3131