

Kepler - Bug #3161

progress meter when downloading data with RBNBToKepler actors

02/22/2008 04:21 PM - Derik Barseghian

<b>Status:</b>	New	<b>Start date:</b>	02/22/2008
<b>Priority:</b>	Normal	<b>Due date:</b>	
<b>Assignee:</b>	Derik Barseghian	<b>% Done:</b>	0%
<b>Category:</b>	data access	<b>Estimated time:</b>	0.00 hour
<b>Target version:</b>	3.X.Y	<b>Spent time:</b>	0.00 hour
<b>Bugzilla-Id:</b>	3161		
<b>Description</b>			
When the RBNBToKepler actors are downloading data, some kind of progress meter should appear.			
<b>Related issues:</b>			
Blocks Kepler - Bug #3159: RBNBToKepler datasource actors should be merged in...			<b>Resolved      02/22/2008</b>

History

#1 - 04/07/2008 04:55 PM - Derik Barseghian

I'm using org.ecoinformatics.seek.datasource.DataSourceIcon now, and the icon renders "Busy" when busy.

If this is acceptable and is the proper generic "progress meter" to use for all datasource actors, this can be closed when bug 3159 is closed.

#2 - 03/27/2013 02:22 PM - Redmine Admin

Original Bugzilla ID was 3161