

## Kepler - Bug #3225

### If R is not present, then error message just says "null"

04/16/2008 03:24 PM - Christopher Brooks

<b>Status:</b>	Resolved	<b>Start date:</b>	04/16/2008
<b>Priority:</b>	Normal	<b>Due date:</b>	
<b>Assignee:</b>	Chad Berkley	<b>% Done:</b>	0%
<b>Category:</b>	actors	<b>Estimated time:</b>	0.00 hour
<b>Target version:</b>	1.0.0	<b>Spent time:</b>	0.00 hour
<b>Bugzilla-Id:</b>	3225		

#### Description

If I build Kepler using RELEASE-BRANCH-1-0-0 and ptll using rel-7-0-beta-2 from source using:  
ant full-clean rebuild  
and then run the Statistical Summary demo that uses R, I get:

```
java.lang.NullPointerException
at org.ecoinformatics.seek.R.RExpression.fire(RExpression.java:698)
at ptolemy.actor.AtomicActor.iterate(AtomicActor.java:398)
at ptolemy.actor.sched.StaticSchedulingDirector.fire(StaticSchedulingDirector.java:170)
at ptolemy.actor.CompositeActor.fire(CompositeActor.java:400)
at ptolemy.actor.Manager.iterate(Manager.java:688)
at ptolemy.actor.Manager.execute(Manager.java:332)
at ptolemy.actor.Manager.run(Manager.java:1071)
at ptolemy.actor.Manager$3.run(Manager.java:1112)
```

#### History

##### #1 - 04/17/2008 10:57 AM - Chad Berkley

Added a better error message. Also pointed the user to section 8.2.2 of the user manual that explains how to install R for kepler.

##### #2 - 03/27/2013 02:22 PM - Redmine Admin

Original Bugzilla ID was 3225