

Kepler - Bug #3558

Store each workflow run trace in it's own directory

10/23/2008 04:33 PM - Timothy McPhillips

Status:	New	Start date:	10/23/2008
Priority:	Normal	Due date:	
Assignee:	Timothy McPhillips	% Done:	0%
Category:	general	Estimated time:	0.00 hour
Target version:	3.X.Y	Spent time:	0.00 hour
Bugzilla-Id:	3558		

Description

The ppod-gui module includes enhancements to the Kepler GUI for browsing and viewing the traces of previously run workflows. Each trace is a single, XML-formatted file, and the traces are organized in folders named according to the workflows run. These folders corresponding to actual directories on the user's machine. Double-clicking on a trace opens it in the provenance browser.

I suggest that instead of putting all the traces of runs of a particular workflow in the same directory, we create a new directory for each run (in the directory named for the workflow) and place the trace there. This would support: (a) including multiple traces output from a single run (possible with COMAD); (b) storing a copy of the workflow in the run directory so that the specification of the executed workflow is not lost; (c) using this directory as the default location for other files produced during the run (and possibly temporary directories holding intermediate files useful for resuming an aborted run, say); (d) summary reports generated for the run; (e) copies of input data; etc.

Adding another level of directories would add to the work of navigating to the latest trace, but this would not be a problem if we automatically opened the trace using the provenance browser at the end of each run (as suggested in Bug 3546), and if we provided an additional view of recent traces that hid this extra nesting.

History

#2 - 03/27/2013 02:23 PM - Redmine Admin

Original Bugzilla ID was 3558

Files

TracesPanel.png	80.9 KB	10/24/2008	Timothy McPhillips
-----------------	---------	------------	--------------------