

Morpho - Bug #362

save invalid xml docs without DOCTYPE

11/30/2001 05:05 PM - Matt Jones

Status:	Resolved	Start date:	11/30/2001
Priority:	Normal	Due date:	
Assignee:	Dan Higgins	% Done:	0%
Category:	morpho - general	Estimated time:	0.00 hour
Target version:	1.5	Spent time:	0.00 hour
Bugzilla-Id:	362		
<b>Description</b> <p>Morpho currently allows users to create and save invalid doctypes locally. If they send them to metacat, the invalid documents are rejected. We need to enable morpho to save intermediate documents without a DOCTYPE tag and yet still know what the intended DOCTYPE was supposed to be. This will allow us to save the document on metacat without a DOCTYPE and then later recover it and finish editing it as the intended doctype.</p>			

History

#1 - 12/03/2002 09:13 PM - Dan Higgins

Due to large number of places where the doctype is used in Morpho, this change would involve changing a lot of code. We are thus postponing until more time is available.

#2 - 01/06/2004 01:26 PM - Dan Higgins

No longer applicable with Morpho 1.5 since eml2 uses namespaces rather than DOCTYPE. Also, eml2 validation is done locally in new TREE editor.

#3 - 03/27/2013 02:14 PM - Redmine Admin

Original Bugzilla ID was 362