

Metacat - Bug #3757

Error when creating ldap account via nceas skin on dev

01/20/2009 11:34 AM - Michael Daigle

Status:	Resolved	Start date:	01/20/2009
Priority:	Immediate	Due date:	
Assignee:	Shaun Walbridge	% Done:	0%
Category:	metacat	Estimated time:	0.00 hour
Target version:	1.9	Spent time:	0.00 hour
Bugzilla-Id:	3757		

Description

When submitting a new ldap account on dev in the nceas skin, a blank screen is returned.

The following errors show up in the apache error log:

```
[Tue Jan 20 14:16:19 2009] [error] [client 128.111.242.154] Use of uninitialized value in concatenation (.) or string at /usr/lib/perl5/5.8.5/i386-linux-thread-multi/Scalar/Util.pm line 30., referer:
```

<http://dev.nceas.ucsb.edu/knb/cgi-bin/ldapweb.cgi?cfg=nceas>

```
[Tue Jan 20 14:16:19 2009] [error] [client 128.111.242.154] is only available with the XS version at
```

```
/usr/lib/perl5/site_perl/5.8.5/IO/Socket/SSL.pm line 30, referer: http://dev.nceas.ucsb.edu/knb/cgi-bin/ldapweb.cgi?cfg=nceas
```

```
[Tue Jan 20 14:16:19 2009] [error] [client 128.111.242.154] BEGIN failed--compilation aborted at
```

```
/usr/lib/perl5/site_perl/5.8.5/IO/Socket/SSL.pm line 30., referer: http://dev.nceas.ucsb.edu/knb/cgi-bin/ldapweb.cgi?cfg=nceas
```

```
[Tue Jan 20 14:16:19 2009] [error] [client 128.111.242.154] Compilation failed in require at /usr/lib/perl5/site_perl/5.8.5/Net/LDAP.pm line 991., referer: http://dev.nceas.ucsb.edu/knb/cgi-bin/ldapweb.cgi?cfg=nceas
```

History

#1 - 01/20/2009 12:20 PM - Shaun Walbridge

Fixed by installing Scalar::Util with cpan:

```
cpan
```

```
force install Scalar::Util
```

A redhat specific issue, explained in <http://objectmix.com/perl/306950-scalar-util-not-using-xs-fedora-8-leading-performanceproblem.html>

#2 - 03/27/2013 02:24 PM - Redmine Admin

Original Bugzilla ID was 3757