

Kepler - Bug #3961

RExpression2 - support arrayType(scalar, ....) tokens

04/07/2009 02:31 PM - ben leinfelder

Status:	Resolved	Start date:	04/07/2009
Priority:	Normal	Due date:	
Assignee:	ben leinfelder	% Done:	0%
Category:	actors	Estimated time:	0.00 hour
Target version:	2.0.0	Spent time:	0.00 hour
Bugzilla-Id:	3961		
<b>Description</b> a "mixed" array token can be generated, as in the Ptolemy expression: {1, 2.3, true} the type then looks like this: arrayType(scalar,3)  The RExpression2 actor needs to handle this heterogeneous array accordingly (hopefully we can preserve the type information for each item in the array). Note: if the array contains a string token, the entire array becomes an arrayType(string...)			

History

#1 - 04/08/2009 09:39 AM - ben leinfelder

- 1. Added support for treating these arrays as containing all string elements.
- 2. Looking into how we might preserve each element's type when setting the token in R.

At least it won't throw an error now. Downstream processes (R scripts) will have to be savvy about converting from string representations to number/boolean if need be.

#2 - 04/08/2009 11:13 AM - ben leinfelder

This bug should now read: "Scalar Arrays should not be treated as String Arrays"  
might end up closing it if I can't get JRI to handle the heterogeneous array

#3 - 04/13/2009 10:35 AM - ben leinfelder

My only guess with handling heterogenous array items is to use the low-level rniPut(...) methods in JRI and manually assemble the data structures from their memory addresses. (lck factor multiplying rapidly!)

#4 - 03/27/2013 02:25 PM - Redmine Admin

Original Bugzilla ID was 3961