

Kepler - Bug #4172

Use DEV server for registry in the WRP suite

06/18/2009 01:26 PM - ben leinfelder

<b>Status:</b>	Resolved	<b>Start date:</b>	06/18/2009
<b>Priority:</b>	Normal	<b>Due date:</b>	
<b>Assignee:</b>	ben leinfelder	<b>% Done:</b>	0%
<b>Category:</b>	data access	<b>Estimated time:</b>	0.00 hour
<b>Target version:</b>	2.0.0-alpha1	<b>Spent time:</b>	0.00 hour
<b>Bugzilla-Id:</b>	4172		
<b>Description</b>			
For testing and training it will be very useful to have dev.nceas.ucsb.edu and kepler-dev.nceas.ucsb.edu set up as our servers in Kepler. Kepler will query the registry for data/authentication/identificaiton services (that will point to dev sources) and we will use dev sinks for uploading KARs and such.			

History

#1 - 06/18/2009 01:28 PM - ben leinfelder

The servers are set up and ready to go.  
I'm currently updating the registry entries so that we point to the correct data sources for searching/downloading datasets

#2 - 06/18/2009 01:54 PM - ben leinfelder

<http://dev.nceas.ucsb.edu/registry/services/RegistryService> is now providing services that point to DEV (not production).

#3 - 06/19/2009 12:15 PM - ben leinfelder

WRP is pointing to dev for:  
registry  
authentication  
repository

#4 - 03/27/2013 02:25 PM - Redmine Admin

Original Bugzilla ID was 4172