

## Kepler - Bug #4337

### 1.0 -> 2.0 upgrade issues tracking bug

08/26/2009 01:10 PM - Chad Berkley

<b>Status:</b>	Resolved	<b>Start date:</b>	08/26/2009
<b>Priority:</b>	Immediate	<b>Due date:</b>	
<b>Assignee:</b>	Chad Berkley	<b>% Done:</b>	0%
<b>Category:</b>	general	<b>Estimated time:</b>	0.00 hour
<b>Target version:</b>	2.0.0	<b>Spent time:</b>	0.00 hour
<b>Bugzilla-Id:</b>	4337		

#### Description

We need to come up with a set of issues to handle the upgrade between kepler 1.0 and kepler 2.0. The upgrade path should be smooth and should include updating the .kepler directory without the user having to delete their cached data/actors. Make any 2.0 upgrade bugs block this bug.

#### Related issues:

Blocks Kepler - Bug #3898: update .kepler instead of removing it between vers...	<b>Resolved</b>	<b>03/17/2009</b>
Blocks Kepler - Bug #4514: Files are being saved in the Kepler installation d...	<b>Resolved</b>	<b>10/29/2009</b>
Blocks Kepler - Bug #4666: identify problems with converting .kepler-1.0 to ....	<b>Resolved</b>	<b>01/13/2010</b>
Blocks Kepler - Bug #4722: find 1.0 -> 2.0 .kepler incompatibilities	<b>Resolved</b>	<b>02/02/2010</b>

#### History

##### #1 - 02/25/2010 03:27 AM - David Welker

Are there any remaining tasks for this bug?

##### #2 - 02/25/2010 05:28 PM - Chad Berkley

All tasks are closed. Closing this tracking bug.

##### #3 - 03/27/2013 02:26 PM - Redmine Admin

Original Bugzilla ID was 4337