

FIRST - Bug #4391

Current scheme of naming revisions of datapackages under Morpho seems faulty

09/16/2009 01:48 PM - Sandeep Namilikonda

Status:	New	Start date:	09/16/2009
Priority:	Normal	Due date:	
Assignee:	Ryan McFall	% Done:	0%
Category:	client	Estimated time:	0.00 hour
Target version:	Unspecified	Spent time:	0.00 hour
Bugzilla-Id:	4391		

Description

Suppose a data package has undergone a number of revisions, say v1 - v10.

Opening an older revision of an assessment, say v6, making a few changes and saving it would overwrites the existing v7.

So, effectively, an older version has been overwritten. But, the latest revision for that assessment in the list of data packages under Morpho is still v10. If you close and open the datapackage, it still opens v10, which is not the most current one (v7 is). This behavior is counter intuitive.

Further, we notice that making changes to v6 and saving it as v7 automatically disables revisions v8 and v9. This is in line with the expected behavior. Yet, the latest revision getting a number v7 and overwriting the older copy of v7 should be deemed absolutely faulty. Ideally, v8, v9, and v10 should be disabled/deleted or revisions to v6 should result in v11.

History

#1 - 09/17/2009 01:15 PM - ben leinfelder

I'm not positive, but I think the intent is that you would "revert" to an older revision then "save a duplicate" of that to get a whole new document. Should see how the normal Morpho handles this for EML.

#2 - 03/27/2013 02:26 PM - Redmine Admin

Original Bugzilla ID was 4391