

Kepler - Bug #4410

Cannot open KARs from arbitrary location on disk

09/24/2009 11:12 AM - Derik Barseghian

Status:	Resolved	Start date:	09/24/2009
Priority:	Normal	Due date:	
Assignee:	Aaron Aaron	% Done:	0%
Category:	general	Estimated time:	0.00 hour
Target version:	wrp-modules-2.0.0	Spent time:	0.00 hour
Bugzilla-Id:	4410		
Description You cannot open a KAR from an arbitrary location on disk, it must reside in a local repository. One work-around is to create a dialog that prompts the user to move such a KAR into a local repo when they try to open it. If we're going to keep this restriction in place, I would also think the Save Archive dialog shouldn't allow, or at least make difficult, the saving of KARs in locations besides local repositories.			
Related issues: Is duplicate of Kepler - Bug #4381: Open KAR: needs to work when opening from... <div>Resolved09/11/2009</div>			

History

- #1 - 09/24/2009 11:16 AM - ben leinfelder
- I would really like to be able to open a KAR from anywhere. This seems like a trivial enhancement - but one that buys us a lot in terms of user satisfaction. Even if all you do during the open is first copy the selected KAR to a local repository and go from there.
- #2 - 09/24/2009 11:33 AM - Aaron Aaron
- Hmmm, another solution is to allow the opening of kars from outside the local repositories. But the next time you open kepler the kar would not be available in the cache.
- #3 - 10/15/2009 12:15 PM - Aaron Aaron
- Bug 4381 has been marked as a duplicate of this bug. ***
- #4 - 10/16/2009 10:43 AM - Derik Barseghian
- I vote, and am moving to, wrp-modules-1.0.0 target for this bug.
- #5 - 11/10/2009 09:47 AM - ben leinfelder
- this can also be problematic when we use the "remote execution" version of Kepler because it forces us to either configure our Kepler instance to use the temporary directory where we download KARs or to download them to the default local repository.
- #6 - 11/13/2009 07:23 PM - Derik Barseghian
- r21539 should fix this, going to leave open for a bit for others to test...
- #7 - 11/17/2009 02:03 PM - ben leinfelder
- I tried this (after the fix) but I'm not able to use the command line to open/run the KAR that is not in the local repository.
- ```
[run] WARN (org.kepler.kar.KARFile:cacheKARContents:486) KAR must be in a Local Repository Folder to be inserted in the cache: /Users/leinfelder/workspace_kepler/kruger/workflows/tpc01-buffalo-tb/tpc01-buffalo-tb.kar
```
- #8 - 11/18/2009 09:12 AM - ben leinfelder
- only printing a warning message when the KAR is being cached from a non-local repository location.
- #9 - 03/27/2013 02:26 PM - Redmine Admin
- Original Bugzilla ID was 4410