

## Kepler - Bug #4527

### reports cannot be loaded when InstanceAuthNamespace changes

11/03/2009 07:39 PM - Oliver Soong

<b>Status:</b>	Resolved	<b>Start date:</b>	11/03/2009
<b>Priority:</b>	Immediate	<b>Due date:</b>	
<b>Assignee:</b>	ben leinfelder	<b>% Done:</b>	0%
<b>Category:</b>	general	<b>Estimated time:</b>	0.00 hour
<b>Target version:</b>	wrp-modules-2.0.0	<b>Spent time:</b>	0.00 hour
<b>Bugzilla-Id:</b>	4527		
<b>Description</b>			
Generate a report and save the KAR. Close Kepler, clean-all, delete the configuration folder, LastObjectID, and .ptolemy-compiled (I think that's almost everything that Kepler generates). Run Kepler again, and open the KAR. The report layout should be there. Now close Kepler and delete only InstanceAuthNamespace. Run Kepler again and open the KAR. The report should not be there.			
This makes it hard to transport a KAR file to another computer or even another build of Kepler.			
<b>Related issues:</b>			
Blocks Kepler - Bug #4224: New LSID generated when opened from KAR		<b>Resolved</b>	<b>07/06/2009</b>

#### History

##### #1 - 11/03/2009 08:01 PM - Oliver Soong

It looks like a workaround is to transfer the InstanceAuthNamespace file from one computer to the other. It requires a clean-cache before loading.

##### #2 - 11/04/2009 08:49 AM - ben leinfelder

Transporting the InstanceAuthNamespace is unacceptable.  
One of the major reasons for having KARs is for sharing them among people (and computers).  
If you save a KAR and then send it to me, do I lose the report layout?

##### #3 - 11/04/2009 08:52 AM - Oliver Soong

svn co <https://code.ecoinformatics.org/code/kruger/trunk/workflows/tpc01-buffalo-tb>

There should be a KAR in there as well as an InstanceAuthNamespace for you to test.

##### #4 - 11/06/2009 08:24 AM - ben leinfelder

The workflow in question has an LSID of:  
urn:lsid:gamma.msi.ucsb.edu/OpenAuth/:964:30:97  
when I step through opening the KAR file in debug mode I can see that the report layout is correctly opened and added to the manager with the correct workflow association. The problem seems to be that the opened workflow then gets an LSID assigned to it using my AuthNamespace prefix (a new LSID) and the workflow->report layout association does not exist.  
The LSID change happens somewhere during the openModel() methods (in ptolemy?) so that by the time we hit KeplerGraphFrame we have a new LSID for the NamedObj (workflow).  
I do see the old LSID in the "derivedFrom" list so my hunch is that there's a changer request that is forcing the new LSID generation.

##### #5 - 11/06/2009 08:30 AM - ben leinfelder

also: just opening a plain old XML workflow file from a different InstanceAuthNamespace results in a new LSID being assigned (and the original one becoming part of the derived from list).

##### #6 - 11/06/2009 09:05 AM - ben leinfelder

this should work now that the LSID is not being changed when the workflow opens in a new namespace (kepler) instance

##### #7 - 03/27/2013 02:27 PM - Redmine Admin

Original Bugzilla ID was 4527