

Metacat - Bug #4690

register-dataset.cgi should have its permissions set

01/21/2010 02:23 PM - Shaun Walbridge

Status:	Closed	Start date:	01/21/2010
Priority:	Normal	Due date:	
Assignee:	ben leinfelder	% Done:	0%
Category:	registry	Estimated time:	0.00 hour
Target version:	2.3.0	Spent time:	0.00 hour
Bugzilla-Id:	4690		
Description			
Currently, the registry script does not get the execute bit set when deployed from a WAR file -- either we should fix this by making the permissions stick, or if this isn't possible, provide a post-installation hook which performs the action. The registry on dev was down due to this issue, a chmod a+x did the trick.			

History

#1 - 01/21/2010 03:12 PM - Shaun Walbridge

The initial error thrown by Apache:

(13)Permission denied: exec of '/var/www/edu.ucsb.nceas.dev/knb/cgi-bin/register-dataset.cgi' failed, referer: <http://dev.nceas.ucsb.edu/knb/style/skins/nceas/>

#2 - 03/27/2013 02:27 PM - Redmine Admin

Original Bugzilla ID was 4690

#3 - 11/01/2013 12:24 AM - Matt Jones

- Target version deleted (Unspecified)

#4 - 11/01/2013 07:57 AM - ben leinfelder

- Assignee changed from Shaun Walbridge to ben leinfelder

- Target version set to 2.3.0

Can do this on *nix deployments.

#5 - 11/01/2013 08:23 AM - ben leinfelder

- Status changed from New to Closed

Now using runtime exec to do a chmod +x on the *.cgi files during the main configuration.