Semtools - Bug #4780

"Mad lib" annotation screen

02/08/2010 04:46 PM - ben leinfelder

Status: Resolved Start date: 02/08/2010

Priority: Normal Due date:

Assignee: ben leinfelder % Done: 0%

Category:Morpho PluginEstimated time:0.00 hourTarget version:UnspecifiedSpent time:0.00 hour

Bugzilla-ld: 4780

Description

Discussed extensively on IRC, as well as a bit in email that kicked it off (bowers):

I think a "fill in the blank" kind of approach might be really useful for when we try to annotate datasets to oboe domain-extension concepts. This is also probably useful for when we define concepts (ontology editing) as well -- as part of our ongoing discussions of best practices.

Attached is a proposal for a "fill in the blank" approach to oboe annotations, with an a couple of examples from the dataset Matt created. (This does not contain the contentious "depth" column).

This is only a very simple fill-in-the blank "form". One could imagine similar ones for other cases, e.g., when there are multiple contexts, to add protocols, precision, units, etc.

We could also break this up into measurements and context (so, one type of fill-in-the-blank form for what is "recorded" and another for the relationships between the entities).

Related issues:

Blocked by Semtools - Bug #4794: "Mad lib" as a "Column View" tab Resolved 02/12/2010

History

#1 - 02/09/2010 02:40 PM - ben leinfelder

bowers: Here is the whole madlib (i think):

The <characteristic> of the <entity*> was recorded using the <standard> standard and the <protocol> protocol, where the <entity*> was <context> the <entity>.

For the existing 4 item annotation page that includes:

- -Entity
- -Characteristic
- -Standard
- -Protocol

I propose using this this partial sentence as a starting point.

The <characteristic> of the <entity*> was recorded using the <standard> standard and the <protocol> protocol

There is a separate dialog for adding context.

#2 - 02/09/2010 04:18 PM - ben leinfelder

There's now a version of the mad lib form when you use the "Annotate current column..." option.

#3 - 02/10/2010 09:57 AM - ben leinfelder

added mad lib phrasing to the "Add Context..." menu:

"The Observation was made where the <Entity> was <Relationship> the <Entity>"

04/25/2024 1/2

#4 - 02/12/2010 03:50 PM - ben leinfelder

Reuse this madib UI in a tab where the Annotation Table is located.

When this "Column View" tab is selected:

- -display the madlib phrase for this selected column
- -if no column is currently selected there is a message saying you should select one

#5 - 02/19/2010 10:01 AM - ben leinfelder

closing for now - bound to be additional changes requested after review

#6 - 03/27/2013 02:28 PM - Redmine Admin

Original Bugzilla ID was 4780

04/25/2024 2/2