

## Kepler - Bug #5130

### Need a login and logout interface for authenticating a user

08/06/2010 03:11 PM - Jing Tao

<b>Status:</b>	Resolved	<b>Start date:</b>	08/06/2010
<b>Priority:</b>	Normal	<b>Due date:</b>	
<b>Assignee:</b>	Jing Tao	<b>% Done:</b>	0%
<b>Category:</b>	sensor-view	<b>Estimated time:</b>	0.00 hour
<b>Target version:</b>	sensor-view-0.9.0	<b>Spent time:</b>	0.00 hour
<b>Bugzilla-Id:</b>	5130		

#### Description

When kepler client tries to schedule running a workflow or read data/report from remote Provenance DB, it should have an access control mechanism. The first step is user login/logout. When user login once, he/she can do all of above operations without any additional login.

We can borrow current Kepler authentication Framework for the purpose.

See <https://kepler-project.org/developers/teams/framework/archive/kepler-authentication-framework/?searchterm=authentication>

#### History

##### #1 - 10/04/2010 02:26 PM - Jing Tao

We used the existing kepler login/logout infrastructure. It works fine.

##### #2 - 02/14/2011 01:45 PM - Derik Barseghian

changing bugs from REAP to Kepler product

##### #3 - 03/27/2013 02:29 PM - Redmine Admin

Original Bugzilla ID was 5130