

Kepler - Bug #5185

common_ontology_catalog.xml get modified

09/16/2010 02:01 PM - Derik Barseghian

| | | | |
|--|-------------|------------------------|------------|
| Status: | Resolved | Start date: | 09/16/2010 |
| Priority: | Normal | Due date: | |
| Assignee: | Sean Riddle | % Done: | 0% |
| Category: | tagging | Estimated time: | 0.00 hour |
| Target version: | 2.1.0 | Spent time: | 0.00 hour |
| Bugzilla-Id: | 5185 | | |
| Description | | | |
| Sometimes kepler modifies ontology_catalog.xml file in the common module. This shouldn't happen. | | | |

History

#1 - 09/16/2010 04:53 PM - Derik Barseghian

Here's an example of a modified common-2.1/configs/ptolemy/configs/kepler/ontologies/ontology_catalog.xml

```
<?xml version="1.0"?>
<ontologies>
<ontology
filename="/Users/derik/dev2/kepler.modules.2.1/common-2.1/target/eclipse/classes/ptolemy/configs/kepler/ontologies/keplerActorOntology.owl"
library="false" tagbar="true" color="128,128,128" local="false"/>
<ontology
filename="/Users/derik/dev2/kepler.modules.2.1/common-2.1/target/eclipse/classes/ptolemy/configs/kepler/ontologies/kepler-component.owl"
library="true" tagbar="true" color="0,255,255" local="false"/>
<ontology filename="/Users/derik/dev2/kepler.modules.2.1/common-2.1/target/eclipse/classes/ptolemy/configs/kepler/ontologies/kepler-project.owl"
library="true" tagbar="true" color="255,0,255" local="false"/>
<ontology filename="/Users/derik/dev2/kepler.modules.2.1/common-2.1/target/eclipse/classes/ptolemy/configs/kepler/ontologies/kepler-discipline.owl"
library="true" tagbar="true" color="0,255,0" local="false"/>
<ontology filename="/Users/derik/dev2/kepler.modules.2.1/common-2.1/target/eclipse/classes/ptolemy/configs/kepler/ontologies/kepler-statistics.owl"
library="true" tagbar="true" color="255,200,0" local="false"/>
<ontology
filename="/Users/derik/dev2/kepler.modules.2.1/common-2.1/target/eclipse/classes/ptolemy/configs/kepler/ontologies/seekBiodiversityOntology_infer
red.owl" library="false" tagbar="true" color="255,175,175" local="false"/>
<ontology
filename="/Users/derik/dev2/kepler.modules.2.1/common-2.1/target/eclipse/classes/ptolemy/configs/kepler/ontologies/seekStatisticsOntology.owl"
library="false" tagbar="true" color="0,0,255" local="false"/>
<ontology
filename="/Users/derik/dev2/kepler.modules.2.1/common-2.1/target/eclipse/classes/ptolemy/configs/kepler/ontologies/SeekFieldObservationOntology
_JUN_2005.owl" library="false" tagbar="true" color="255,0,0" local="false"/>
<ontology filename="/Users/derik/KeplerData/modules/core/onto7934053400911427464.owl" library="true" tagbar="false" color="255,255,255"
local="true"/>
</ontologies>
```

The ontology filename referred to (/Users/derik/KeplerData/modules/core/onto7934053400911427464.owl) doesn't exist.

#2 - 09/29/2010 01:20 PM - Sean Riddle

Fixed in r25854-8. This adds checks to make sure that the original ontology_catalog.xml file from the common module is never modified. If somehow it gets set as the current ontology catalog file, the tag manager will be disabled.

#3 - 03/27/2013 02:29 PM - Redmine Admin

Original Bugzilla ID was 5185