

Kepler - Bug #5290

originModule not always set

02/02/2011 11:34 AM - Daniel Crawl

Status:	New	Start date:	02/02/2011
Priority:	Normal	Due date:	
Assignee:	Daniel Crawl	% Done:	0%
Category:	core	Estimated time:	0.00 hour
Target version:	2.X.Y	Spent time:	0.00 hour
Bugzilla-Id:	5290		
Description			
<p>The <originModule> property is added to configuration files so that properties will be ignored when their originating module is not loaded. However, sometimes <originModule> is not set. For example:</p> <pre>ant change-to -Dsuite=reporting ant run ant change-to -Dsuite=fault-tolerance ant run ant change-to -Dsuite=kepler ant run</pre> <p>Results in:</p> <pre>[run] java.lang.ClassNotFoundException: org.kepler.reporting.gui.ItemsOfInterestPanel\$Factory</pre> <p>In ~/KeplerData/modules/gui/configuration/configuration.xml, the <tabPane> for Items Of Interest does not have <originModule>.</p>			

History

#1 - 11/09/2011 02:52 PM - Derik Barseghian

Retarget to 2.3, this is now manifesting when changing from reporting to kepler after Jing's change to include a workflow scheduler gui property (which does have an originModule property) in gui's configuration.

#2 - 11/10/2011 07:16 PM - Derik Barseghian

Ok, what's happening is reporting and workflow-run-manager override some properties in gui and common's configuration. When you override a property it doesn't get the originModule subproperty. If these configs get written to disk, and you switch back to e.g. vanilla, you'll get errors on startup. I believe this is a shortcoming with our current system. I'm not sure the solution...should overridden properties be written out along side the originals with an originModule subproperty, and we change the ConfigManager to choose the appropriate property based on what modules are active? This doesn't seem especially appealing or easy.

Most of the properties reporting and wrm override could actually instead be simply added with addProperty, thus getting originModule subproperties and avoiding the problem -- but unfortunately we have at least one that I think needs to be a true override, wrm's <viewPaneTabPanes><viewPane>Workflow.

We could possibly punt by putting the two new workflow-scheduler-gui properties in workflow-scheduler-gui's configuration (these are the only 2 properties in a soon to be published module that cause the problem that I know of -- but Dan may need to chime in wrt fault-tolerance), but I'd have to discuss that with Jing. We decided where he currently has them seems like the best place.

#3 - 11/22/2011 10:29 AM - Jing Tao

For workflow-scheduler-gui module, i changed to use overwrite approach adding the preference tabs. This approach wouldn't serialize the configure.xml on the gui module.

#4 - 11/23/2011 12:03 PM - Derik Barseghian

Discussed w/ Jing and Dan.
Can now be retargeted to 2.4.0.

#5 - 03/27/2013 02:29 PM - Redmine Admin

Original Bugzilla ID was 5290

#6 - 08/23/2015 02:23 PM - Daniel Crawl

- Target version changed from 2.5.0 to 2.X.Y