Kepler - Bug #5439

file parameter ignores directory

07/11/2011 04:10 PM - Daniel Crawl

Status: Resolved Start date: 07/11/2011

Priority: Normal Due date:

Assignee: David Welker % Done: 0%

Category: actors Estimated time: 0.00 hour Target version: 2.3.0 Spent time: 0.00 hour

Bugzilla-ld: 5439

Description

Choosing a file /tmp/file.txt gets replaced with \$KEPLER/file.txt. In Ptolemy it's replaced with \$CWD/file.txt.

History

#1 - 07/11/2011 06:56 PM - Christopher Brooks

This looks like a problem with my recent FileDialog changes for the Mac. I'm working on a fix now

#2 - 07/11/2011 07:23 PM - Christopher Brooks

т

The issue here is that under Mac OS X, we are now using FileDialog instead of JFileChooser because FileDialog has the native L&F. The problem was that we were not getting the directory from the FileDialog. There are probably other bugs here, it would be good to have a better defined testsuite.

To replicate the bug:

- 1. Under Mac OS X, start up with FileDialog: java -Dptolemy.ptII.useFileDialog=true -classpath \$PTII ptolemy.vergil.VergilApplication
- 2. File->New->Graph Editor
- 3. Actors -> IO -> Drag a FileReader in.
- 4. Double click on the FileReader, hit Browse.
- 5. Browse to a directory outside the ptll tree, select a text file.

Formerly, the path would be incorrectly set to a path inside the ptll tree. For example, if I selected /Temp/foo/bar/bif.txt, then the path would end up as /Users/cxh/ptll/bif.txt

#3 - 03/27/2013 02:30 PM - Redmine Admin

Original Bugzilla ID was 5439

03/08/2024 1/1