

## Kepler - Bug #5447

### Use https, not svn to check out the ptll repository

08/03/2011 08:44 AM - Christopher Brooks

<b>Status:</b>	Resolved	<b>Start date:</b>	08/03/2011
<b>Priority:</b>	Normal	<b>Due date:</b>	
<b>Assignee:</b>	David Welker	<b>% Done:</b>	0%
<b>Category:</b>	build system	<b>Estimated time:</b>	0.00 hour
<b>Target version:</b>	2.X.Y	<b>Spent time:</b>	0.00 hour
<b>Bugzilla-Id:</b>	5447		

#### Description

In April, 2010, we discussed using https to check out the ptll tree instead of using the svn protocol.

See

<http://lists.nceas.ucsb.edu/kepler/pipermail/kepler-dev/2010-April/018120.html>

See also

<http://lists.nceas.ucsb.edu/kepler/pipermail/kepler-dev/2011-August/019712.html>

The primary reason to use https instead of svn is that https is more likely to get through corporate firewalls.

One reason not do use https is because there are very few https accounts with write privileges on source.eecs.berkeley.edu. Switching to https will make it more difficult for Kepler developers to contribute fixes to ptll.

#### History

##### #1 - 08/04/2011 02:01 PM - Christopher Brooks

With Dan's help, I fixed this. We now use https for the ptll svn repository download.

##### #2 - 03/27/2013 02:30 PM - Redmine Admin

Original Bugzilla ID was 5447