

## Kepler - Bug #5687

### investigate alternatives to workflow versioning

08/17/2012 06:48 PM - Daniel Crawl

<b>Status:</b>	New	<b>Start date:</b>	08/17/2012
<b>Priority:</b>	Normal	<b>Due date:</b>	
<b>Assignee:</b>	Daniel Crawl	<b>% Done:</b>	0%
<b>Category:</b>	core	<b>Estimated time:</b>	0.00 hour
<b>Target version:</b>	2.X.Y	<b>Spent time:</b>	0.00 hour
<b>Bugzilla-Id:</b>	5687		
<b>Description</b>			
As described in bug <a href="#">#5426</a> , the same workflow can be identified differently when executed on different machines. I fixed this by adding a command-line option to stop changing the LSID. This is sufficient for 2.4, but in the last release meeting we decided for 2.5 to take a closer look at how workflow versioning is done and possibly come up with a better design.			
<b>Related issues:</b>			
Blocked by Kepler - Bug #5690: problems with updateActorDocs		<b>New</b>	<b>08/18/2012</b>

### History

#### #1 - 03/27/2013 02:31 PM - Redmine Admin

Original Bugzilla ID was 5687

#### #2 - 08/17/2015 08:44 AM - Daniel Crawl

- Assignee changed from Derik Barseghian to Daniel Crawl

- Target version changed from 2.5.0 to 2.X.Y