

Metacat - Feature #5810

Implement SOLR-based search

01/24/2013 12:26 PM - ben leinfelder

Status:	Closed	Start date:	01/24/2013
Priority:	High	Due date:	
Assignee:	Jing Tao	% Done:	100%
Category:	metacat	Estimated time:	0.00 hour
Target version:	2.1.0	Spent time:	0.00 hour
Bugzilla-Id:	5810		
Description			
This will be an implementation of the DataONE MNQuery() methods.			
Subtasks:			
Task # 5907: Integrate metacat-index build in Metacat build			Closed
Task # 5908: Investigate EAR deployment of all Metacat webapps			Rejected
Task # 5909: Design configuration for metacat-index			Resolved
Task # 5819: MN query for SOLR			Resolved
Task # 5906: Implement MetacatSolrIndex class			Resolved
Task # 5820: Incorporate DataONE indexing			Resolved
Task # 5822: Enforce access control for SOLR-based search implementation			Resolved
Task # 5904: Design mechanism to enforce access policy			Resolved
Task # 5905: Implement access control filter			Resolved
Task # 5883: Create unit tests to exercise Metacat SOLR query/index features			Closed
Task # 5884: Document solr-based Metacat indexing in user docs (RST format)			Closed
Task # 5918: Separate unit tests from integration tests			Closed
Task # 5921: Design and implement Metacat-Index module			Closed
Task # 5922: Modify the solr index configuration for the resource map			Closed
Task # 5923: Discover missed documents and queue them for indexing			Closed
Task # 5926: Metacat-index doesn't build solr index during a Metadata inserting document			Resolved
Task # 5943: Eliminate the unnecessary Systemmetadata event between the Metacat and Met...			Resolved
Task # 5944: Metacat-index need an IndexEvent and IndexEventLog mechanism			Closed
Task # 5945: Implement reindex action for individual PID			Closed
Task # 5924: Add the configuration page for the Solr server in the Metacat configuratio...			Closed
Task # 5927: Implements listing the query engines and fields for the solr query engine			Resolved
Task # 5928: Make sure to start metacat-index web apps when the metacat web apps is sta...			Closed
Task # 5930: Add a configuration property to turn on/off the indexing processes (SOLR i...			Closed
Task # 5937: The solr indexes of the data file contains obsoleted ids for the resourcem...			Closed
Task # 6004: Figure out why there are only 422 documents indexed in mn-demo-4.test.data...			Resolved
Task # 6005: Incomplete solr index for the data objects if the resourcemap was indexed ...			Closed
Related issues:			
Related to Metacat - Bug #5395: Get unexpected result if a search was done be...		Rejected	05/05/2011
Related to Metacat - Bug #4442: Spatial indexing should not run and block met...		New	10/07/2009
Blocks Metacat - Bug #5815: Integrate Lucene indexing		Resolved	01/24/2013
Blocks Metacat - Bug #5816: REST for Lucene index		Resolved	01/24/2013
Blocks Metacat - Bug #5817: MN query for Lucene index		Resolved	01/24/2013
Blocks Metacat - Bug #5812: Rework default skin[s] to use SOLR query		Closed	04/18/2013

History

#1 - 02/25/2013 07:47 AM - ben leinfelder

MNQuery.listQueryEngines() will return these engines: {"pathquery", "solr"} and we'd call MNQuery.query("solr", <solrQuerySyntax>) to get a stream of solr results back depending on the structure of the original query (might return xml or json etc).

See: http://mule1.dataone.org/ArchitectureDocs-current/apis/MN_APIs.html#MNQuery.query

#2 - 03/13/2013 03:48 PM - Jing Tao

Where "Metacat docs" include:

- Currently indexed DataONE science metadata (EML versions, FGDC versions, Dryad)
- SystemMetadata
- ORE objects
- Any additional XML schema**

**When adding a new schema to be indexed by Metacat here are some requirements:

- Metacat admin should have complete control over which xpath expressions map to which fields in the current index.
- Configuration should allow for: adding new fields, specifying the type (string, number, boolean, etc) of the field, specifying the name of the field, and mapping one or more xpath expressions to the field.
- If there is currently no appropriate field in the index, then the administrator should be able to easily add a new field to the index to accommodate the new xpath.
- Metacat should not be at the mercy of DataONE to augment the fields or objectFormats that are indexed. It should incorporate enhancements from DataONE if desired, but Metacat should be able to blaze the trail on indexing new content before the CN stack implements similar behavior.

#3 - 03/27/2013 02:31 PM - Redmine Admin

Original Bugzilla ID was 5810

#4 - 04/18/2013 02:53 PM - ben leinfelder

- Assignee changed from *Brendan Hahn* to *Jing Tao*

#5 - 04/18/2013 04:54 PM - ben leinfelder

- Tracker changed from *Bug* to *Feature*

#6 - 08/01/2013 02:00 PM - ben leinfelder

- Status changed from *New* to *Closed*