

## Morpho - Bug #5841

**During the startup, don't give a message which indicate the peer not be authenticated.**

02/01/2013 09:45 AM - Jing Tao

<b>Status:</b>	Resolved	<b>Start date:</b>	02/01/2013
<b>Priority:</b>	Normal	<b>Due date:</b>	
<b>Assignee:</b>	ben leinfelder	<b>% Done:</b>	0%
<b>Category:</b>	morpho - general	<b>Estimated time:</b>	0.00 hour
<b>Target version:</b>	2.0.0	<b>Spent time:</b>	0.00 hour
<b>Bugzilla-Id:</b>	5841		

### Description

When we start morpho, if there is no valid certificate, morpho will show a warning message twice: Peer not be authenticated.

I don't think it is not necessary to show this warning. It may gave a new user a feeling that something is wrong. Actually, this message just indicates that the user hasn't logged in.

### History

#### #1 - 02/01/2013 09:47 AM - ben leinfelder

I was going to remove this call since we are using UUIDs locally and have no need to call the server to check if the last used scope.X identifier.

#### #2 - 02/01/2013 10:02 AM - ben leinfelder

Removed the setLastID() call because we are using UUIDs and have no need to check the server for the next available scope.X identifier.

#### #3 - 02/01/2013 10:19 AM - ben leinfelder

I wonder if we should delete the expired client certificate so that calls are made as public rather than just failing with SSL error.

#### #4 - 02/01/2013 11:51 AM - ben leinfelder

Now getting rid of the client certificate if it is expired.

#### #5 - 03/27/2013 02:31 PM - Redmine Admin

Original Bugzilla ID was 5841