

Metacat - Task #5917

Bug # 5812 (Closed): Rework default skin[s] to use SOLR query

Task # 5915 (Closed): Use MN.query(solr) in NCEAS skin

Create NCEAS search form that uses SOLR instead of pathquery

04/18/2013 05:10 PM - ben leinfelder

Status:	Closed	Start date:	04/18/2013
Priority:	Normal	Due date:	
Assignee:	ben leinfelder	% Done:	0%
Category:		Estimated time:	0.00 hour
Target version:	2.2.0	Spent time:	0.00 hour
Description			
The UI can stay the same, but the underlying query that is generated (via JS?) would be SOLR syntax and would be sent to the MN.query() endpoint rather than the Metacat Servlet API.			

History

#1 - 04/18/2013 05:11 PM - ben leinfelder

- Target version set to 2.1.0

#2 - 05/01/2013 12:51 PM - ben leinfelder

- Assignee changed from Jing Tao to ben leinfelder

This is under way. Decided to use the server-side XSLT processing we already have for pathquery and other XML->HTML transformations using qformat (aka, skin name)

#3 - 05/02/2013 01:52 PM - ben leinfelder

- Status changed from New to Closed

- Subject changed from Create NCEAS search form that SOLR instead of pathquery to Create NCEAS search form that uses SOLR instead of pathquery

It's very basic, but works. And searches should be so much quicker!