

## MetacatUI - Feature #6205

### Add attribute search filter (text of name/label/description)

11/14/2013 08:31 AM - ben leinfelder

<b>Status:</b>	Closed	<b>Start date:</b>	
<b>Priority:</b>	Normal	<b>Due date:</b>	
<b>Assignee:</b>	ben leinfelder	<b>% Done:</b>	0%
<b>Category:</b>		<b>Estimated time:</b>	0.00 hour
<b>Target version:</b>	1.3.0	<b>Spent time:</b>	0.00 hour
<b>Bugzilla-Id:</b>			
<b>Description</b>			

#### History

##### #1 - 11/14/2013 08:44 AM - ben leinfelder

- Assignee set to ben leinfelder

We currently index these attribute facets:

```
attributeName  
attributeLabel  
attributeDescription  
attributeUnit
```

and combine all values into

```
attribute
```

I could see us issuing a query against the "attribute" field so that we catch matches for "weight" in the description even if the column name was "wt". Populating the auto-complete list, however, should probably come from just the attributeName (and possibly unioned with the attributeLabel). This will be interesting as we start working on OBOE extension to classify these measurement characteristics.

##### #2 - 11/14/2013 11:13 PM - ben leinfelder

- Status changed from New to Closed

Added to default, KNB, GOA, SNAP