

MetacatUI - Story #6598

Add Provenance to the DataCatalog and Metadata views

09/23/2014 03:57 PM - Lauren Walker

Status:	Resolved	Start date:	06/12/2014
Priority:	Normal	Due date:	
Assignee:	Lauren Walker	% Done:	100%
Category:		Estimated time:	0.00 hour
Target version:	1.8.0	Spent time:	0.00 hour
Description			
Subtasks:			
Task # 6600: Display a data table preview thumbnail in the Metadata view			Rejected
Task # 6601: Display code previews as thumbnails in the Metadata View			Rejected
Task # 6602: Add provenance statements underneath entity thumbnails & details in the Met...			Resolved
Task # 6604: State provenance in the search results			Resolved
Task # 6566: Design how derived datasets will look in search results and the metadata view			Resolved
Task # 6635: Show package content metadata in MetadataIndex View			Resolved
Task # 6647: Expand the SolrResult model to include provenance index fields			Resolved
Task # 6650: Draw a provenance flow chart in the Metadata and MetadataIndex views			Resolved
Task # 6673: Collapse the prov chart after its height exceeds a certain amount			Resolved
Task # 6651: Display a provenance icon in the search results when a data package has a ...			Resolved
Task # 6652: Show a list of data packages (as citations) that are in the prov trace whe...			Resolved
Task # 6653: Show the citation and relevant provenance of the dataset when the provenan...			Resolved
Task # 6668: Show some basic info from the index when a data object in the prov chart h...			Resolved
Task # 6654: Create a function in the SolrResult model that creates citation text			Resolved
Task # 6658: Only one popover in the search result list should be open at one time			Resolved
Task # 6659: Add in ID filter			Resolved
Task # 6686: Make sure the provenance displays correctly in the Metadata View			Resolved
Task # 6691: Provenance Statements list duplicate IDs when navigating from the data sea...			Resolved
Task # 6708: Differentiate the prov chart nodes in some way from each other			Resolved
Task # 6737: Use Solr 4 subquerying to determine if a metadata doc is in a package with...			Rejected
Task # 6757: Use the object name from the metadata in the prov charts			Resolved

History

#1 - 06/04/2015 10:34 AM - Lauren Walker

- Target version changed from 1.7.0 to 1.8.0

#2 - 10/12/2015 11:01 AM - Lauren Walker

- Status changed from New to Resolved

I moved some subtasks from this Story to v1.9.0, [#6852](#) since I consider them to be nonessential to the basic provenance features to be initially released soon.

#3 - 11/04/2015 12:47 PM - Lauren Walker

- Target version changed from 1.8.0 to 1.9.0

#4 - 11/04/2015 02:11 PM - Lauren Walker

- Target version changed from 1.9.0 to 1.8.0