Metacat - Bug #6756

Exception when a user create an account in the file authentication mechanism

05/07/2015 10:56 AM - Jing Tao

Status: Resolved Start date: 05/07/2015

Priority: Normal Due date:

Assignee: Jing Tao % Done: 0%

Category:

Target version: 2.5.0 Spent time: 0.00 hour

Bugzilla-ld:

pent time: 0.00

0.00 hour

Estimated time:

Description

Andrei report this issue on Metacat trunk:

On 4/28/15 12:05 PM, Andrei Buium wrote:

Hi Jing,

I'm still running into problems with the password file. Maybe you can clear up what I need to do.

I editted the password.xml file manually, but got stuck on the password hash part.

I did some googling on bcrypt (without finding any clear directions on how to just simply hash a password, as opposed to encrypting a file).

Any advice on the above? Or... is it possible to leave the user without a password?

I saw this is a command that specifies no password:

./authFileManager.sh useradd -i -dn <user-distinguish-name>

Unfortunately, running the following:

/var/lib/tomcat7/webapps/metacat/WEB-INF/scripts/bash# ./authFileManager.sh useradd -i -dn "uid=andreib,o=epscor,dc=unm,dc=edu"

Gave me an exception:

This script should be run at the directory of /tomcat-webapps/your-context/WEB-INF/WEB-INF/scripts/bash/.

Exception in thread "main" java.lang.NoClassDefFoundError: org/apache/log4j/Logger

at edu.ucsb.nceas.metacat.properties.PropertyService.<clinit>(PropertyService.java:72)

at edu.ucsb.nceas.metacat.authentication.AuthFile.main(AuthFile.java:636)

Caused by: java.lang.ClassNotFoundException: org.apache.log4j.Logger

History

#1 - 05/08/2015 11:13 AM - Jing Tao

- Status changed from New to Resolved

The jar file names were changed, so it threw the NoClassDefFoundError. Now the script use the wild card in the class path. The problem is resolved.

04/04/2024 1/1