

MetacatUI - Task #6992

Replace 'authenticoatoin_token' text depending on deployment environment

03/22/2016 02:08 PM - Peter Slaughter

Status:	Resolved	Start date:	03/22/2016
Priority:	Normal	Due date:	
Assignee:	Lauren Walker	% Done:	0%
Category:		Estimated time:	0.00 hour
Target version:	1.11.2	Spent time:	0.00 hour
Description			
Currently the user profile "Token for DataONE R" tab generates text for the R option named "authentication_token". The R client has been updated so that a different option name needs to be printed depending on whether the token is being created for the production environment (i.e. from search.dataone.org) or for a test environment (search*.test.dataone.org). For production, the option name should be "dataone_token" and for test environments it should be "dataone_test_token". (This is fully described at https://github.com/DataONEorg/rdataone/issues/139)			

History

#1 - 03/22/2016 02:11 PM - ben leinfelder

Just curious why there needs to be a different option depending on the environment.

#2 - 03/23/2016 09:17 AM - Peter Slaughter

The separate production and test tokens support the use case where a user is concurrently working in both environments, which has been seen in several instances recently. Switching the token definition between two values is cumbersome and error prone, partially because it is not possible for the client to inspect the token to determine which environment is valid for. This feature is really just for user convenience. There are more details in the github issue that show a user's perspective (an expert user BTW).

#3 - 05/03/2016 12:10 PM - Lauren Walker

- Assignee set to Lauren Walker
- Target version set to 1.11.2

#4 - 05/10/2016 03:10 PM - Lauren Walker

- Status changed from New to Resolved
- translation missing: en.field_remaining_hours set to 0.0