

Kepler - Issues

| # | Tracker | Status | Priority | Subject | Assignee | Updated |
|------|---------|-------------|-----------|--|------------------|---------------------|
| 5177 | Bug | New | Normal | Enhance displaying workflow in kepler server library skin | Chad Berkley | 09/15/2010 05:43 PM |
| 4815 | Bug | New | Normal | Need a target to build kepler-styles.jar | Chad Berkley | 02/19/2010 01:08 PM |
| 3291 | Bug | New | Normal | IPCC_ChangeNightlyBuildTest got an exception | Chad Berkley | 04/03/2009 02:18 PM |
| 3290 | Bug | New | Normal | DarwinCore_test workflow takes forever to downloading data | Chad Berkley | 04/03/2009 02:18 PM |
| 3228 | Bug | New | Normal | Kepler need a central place to handle network disconnection | Chad Berkley | 04/03/2009 02:18 PM |
| 4811 | Bug | In Progress | Normal | No "Get Metadata" item on right-click menu after dragging an EML actor to the canvas | Chad Berkley | 03/04/2010 09:19 AM |
| 5444 | Bug | In Progress | Normal | Kepler can't run workflow if two instances exist at same time | Daniel Crawl | 08/23/2015 02:26 PM |
| 5483 | Bug | New | Normal | Another Kepler GUI will nuke the ~/.kepler/cache generated by the kepler in workflow run engine | David Welker | 09/08/2011 09:14 AM |
| 5474 | Bug | New | Normal | Make the eml actor on kepler handle multiple physical representations in an entity | David Welker | 08/19/2011 09:27 AM |
| 5339 | Bug | New | Normal | In Database Query actor, the output port will be string type if you choose the output type to be "record" | David Welker | 03/03/2011 06:10 PM |
| 5338 | Bug | New | Normal | In Database Query actor, the output behavior will be different if there is no result set found when you check or uncheck outputEachRowSeparately | David Welker | 03/03/2011 06:02 PM |
| 5336 | Bug | New | Normal | If a user chooses "no metadata" as output format in Database Query actor, the query result only shows one column no matter the query specifies to select two or more columns | David Welker | 03/03/2011 05:47 PM |
| 5271 | Bug | New | Normal | No-gui mode needs a way to access private data source | David Welker | 01/12/2011 02:10 PM |
| 5423 | Bug | New | Normal | Put kepler-server war file and kepler executatibe as part of normal installation procedure | Derik Barseghian | 03/26/2012 01:19 PM |
| 5401 | Bug | New | Normal | Workflow archiving dataturbine data to metacat should check the last archiving time through repository | Derik Barseghian | 05/12/2011 02:14 PM |
| 5400 | Bug | New | Normal | User can specify the interval of data chunk in the workflow archiving dataturbine data to metacat | Derik Barseghian | 04/26/2012 02:01 PM |
| 5284 | Bug | New | Normal | Set uploadToServer to be true at configuration.xml | Derik Barseghian | 01/28/2011 02:18 PM |
| 5340 | Bug | New | Normal | Miss a dollar sing (\$) when an actor references a parameter. | Ilkay Altintas | 03/04/2011 03:15 PM |
| 5699 | Bug | New | Normal | Change the workflow scheduler server documentation link in the workflow-scheduler-gui module | Jing Tao | 08/21/2015 03:57 PM |
| 5586 | Bug | New | Normal | Get newest version of local files in EML actor | Jing Tao | 08/19/2015 10:39 AM |
| 5362 | Bug | New | Normal | Create a GUI so user can easily archive a senosr's data from a dataturbine to a metacat | Jing Tao | 05/30/2012 09:03 AM |
| 1997 | Bug | New | Normal | Support Getting Metadata for Darwin Core search result item | Jing Tao | 04/03/2009 02:18 PM |
| 1587 | Bug | In Progress | Immediate | Define and implement EcoGrid "dataQuery" method | Jing Tao | 04/03/2009 01:48 PM |
| 2230 | Bug | In Progress | Normal | EML actor doesn't handle footer line in data file | Jing Tao | 04/03/2009 02:18 PM |
| 2225 | Bug | In Progress | Normal | EML parser does not handle attribute list reference | Jing Tao | 04/03/2009 01:59 PM |