

## Kepler - Issues

| #    | Tracker | Status | Priority | Subject  | Assignee     | Updated             |
|------|---------|--------|----------|--|--------------|---------------------|
| 1918 | Bug     | New    | Normal   | Search based on the semantic annotation of an actor's port                 | Shawn Bowers | 04/03/2009 02:18 PM |
| 1917 | Bug     | New    | Normal   | Design and implement workflow semantic type check.                         | Shawn Bowers | 04/03/2009 02:18 PM |
| 1916 | Bug     | New    | Normal   | Implement semantic search for data and actors in local files               | Shawn Bowers | 04/03/2009 02:18 PM |
| 1915 | Bug     | New    | Normal   | Define a published interface for a semantic search service                 | Shawn Bowers | 04/03/2009 02:18 PM |
| 1923 | Bug     | New    | Normal   | Develop ontologies; engage KR group  | Josh Madin   | 04/03/2009 02:18 PM |
| 1922 | Bug     | New    | Normal   | Develop strategies for GUI extenstions for the semantics stuff             | Shawn Bowers | 04/03/2009 02:18 PM |
| 1921 | Bug     | New    | Normal   | Define the Kepler GUI components required for semantic mediation in Kepler | Shawn Bowers | 04/03/2009 02:18 PM |
| 1920 | Bug     | New    | Normal   | Search based on semantic annotations of a dataset's attributes             | Shawn Bowers | 04/03/2009 02:18 PM |
| 1919 | Bug     | New    | Normal   | choose language for semantic annotations in kepler archives                | Shawn Bowers | 04/03/2009 02:18 PM |