

Kepler - Issues

| # | Tracker | Status | Priority | Subject | Assignee | Updated |
|------|---------|-------------|----------|---|------------------|---------------------|
| 4741 | Bug | New | Normal | create icons for engineering view components | Daniel Crawl | 05/25/2011 04:19 PM |
| 4742 | Bug | Resolved | Normal | create engineering view model type | Sean Riddle | 02/14/2011 01:45 PM |
| 4743 | Bug | Resolved | Normal | create gui to edit documentation metadata for component | Daniel Crawl | 02/14/2011 01:45 PM |
| 4744 | Bug | Resolved | Normal | load & save site layout to local kar file | Derik Barseghian | 05/25/2011 04:19 PM |
| 4745 | Bug | Resolved | Normal | load & save site layout to metacat | Derik Barseghian | 02/15/2011 06:32 PM |
| 4746 | Bug | In Progress | Normal | ability to create a Site Layout report | Derik Barseghian | 03/26/2012 01:35 PM |
| 4747 | Bug | New | Normal | import & export site layout to SensorML | Daniel Crawl | 03/28/2011 03:09 PM |
| 4748 | Bug | Resolved | Normal | create google earth kml from component coordinates | Daniel Crawl | 02/14/2011 01:45 PM |
| 4750 | Bug | New | Normal | create wiring table gui | Daniel Crawl | 03/28/2011 03:10 PM |
| 4751 | Bug | Resolved | Normal | implement "run" for site layout | Daniel Crawl | 02/14/2011 01:45 PM |
| 4752 | Bug | Resolved | Normal | create a sensor plots gui | Sean Riddle | 02/14/2011 01:45 PM |
| 4753 | Bug | Resolved | Normal | create gui for scheduled execution of sensor workflows on server | Jing Tao | 02/14/2011 01:45 PM |
| 4754 | Bug | Resolved | Normal | update metacat workflow execution scheduler | Jing Tao | 02/14/2011 01:45 PM |
| 4755 | Bug | Resolved | Normal | update workflow run manager and reporting to display runs of sensor workflows | Derik Barseghian | 02/14/2011 01:45 PM |
| 4756 | Bug | Resolved | Normal | allow saving of sensor workflow output | manish manish | 02/17/2011 12:01 PM |
| 4757 | Bug | Resolved | Normal | transfer sensor data from dataturbine to metacat | manish manish | 02/17/2011 12:00 PM |
| 4758 | Bug | New | Normal | search for site components in kepler's data tab | Jing Tao | 03/26/2012 01:22 PM |
| 4759 | Bug | Resolved | Normal | install dataturbine on gumstix | Daniel Crawl | 02/14/2011 01:45 PM |
| 4760 | Bug | Resolved | Normal | software to transfer sensor data from SPAN to DT | Daniel Crawl | 02/14/2011 01:45 PM |
| 4761 | Bug | Resolved | Normal | install and configure SPAN software on gumstix | Daniel Crawl | 02/14/2011 01:45 PM |
| 4762 | Bug | Resolved | Normal | create gui to control sensor from kepler | Daniel Crawl | 02/14/2011 01:45 PM |
| 4763 | Bug | New | Normal | create gui to access datalogger program | Derik Barseghian | 04/26/2012 10:16 PM |
| 4773 | Bug | New | Normal | Data processing on the GPP | Daniel Crawl | 03/28/2011 03:22 PM |
| 4921 | Bug | Resolved | Normal | find reports for sensor in site layout | Daniel Crawl | 02/18/2011 04:50 PM |
| 5016 | Bug | Resolved | Normal | mirror dataturbine via command line | Daniel Crawl | 02/14/2011 01:45 PM |
| 5028 | Bug | Resolved | Normal | dataturbine overwrites recent data when frequently detaching | Daniel Crawl | 02/14/2011 01:45 PM |
| 5032 | Bug | Resolved | Normal | Workflow Run Manager - ability to connect to different prov stores from gui actions | Derik Barseghian | 02/14/2011 01:45 PM |
| 5033 | Bug | Resolved | Normal | Workflow Run Manager - Allow multiple instances of WRM in one Kepler instance | Derik Barseghian | 02/14/2011 01:45 PM |
| 5040 | Bug | Resolved | Normal | create views, tabs, configuration | Daniel Crawl | 02/14/2011 01:45 PM |
| 5041 | Bug | Resolved | Normal | display recent data next to icon | Daniel Crawl | 02/14/2011 01:45 PM |
| 5042 | Bug | Resolved | Normal | create span simulator | Daniel Crawl | 02/14/2011 01:45 PM |

| # | Tracker | Status | Priority | Subject | Assignee | Updated |
|------|---------|-------------|----------|--|------------------|---------------------|
| 5049 | Bug | Resolved | Normal | Prompt for credentials when connecting to remote kepler server | Derik Barseghian | 02/14/2011 01:45 PM |
| 5050 | Bug | Resolved | Normal | Automatically filter workflow run manager runs based on selected workflow | Derik Barseghian | 02/14/2011 01:45 PM |
| 5062 | Bug | Resolved | Normal | create bugs, mockups, eng view page updates showing how authentication will work | Derik Barseghian | 02/14/2011 01:45 PM |
| 5077 | Bug | Resolved | Normal | add real inputs and outputs to sensor actor | Daniel Crawl | 02/14/2011 01:45 PM |
| 5116 | Bug | In Progress | Normal | add lat/lon to sensor metadata and use during import | Daniel Crawl | 03/28/2011 03:26 PM |
| 5130 | Bug | Resolved | Normal | Need a login and logout interface for authenticating a user | Jing Tao | 02/14/2011 01:45 PM |
| 5131 | Bug | Resolved | Normal | Authentication and authorization of Scheduler server | Jing Tao | 02/14/2011 01:45 PM |
| 5132 | Bug | Resolved | Normal | Connecting Workflow Run Manager to remote KAR store should prompt for credentials | Derik Barseghian | 02/14/2011 01:45 PM |
| 5133 | Bug | Resolved | Normal | Authentication and authorization of GPP server | Daniel Crawl | 02/14/2011 01:45 PM |
| 5164 | Bug | Resolved | Normal | Don't show Workflow Run Manager and tag workflow drop-down list on Schedule tab of Workflow Scheduler view | Derik Barseghian | 02/14/2011 01:45 PM |
| 5169 | Bug | Resolved | Normal | select more than one remote repository | Daniel Crawl | 02/16/2011 04:50 PM |
| 5171 | Bug | New | Normal | link workflow in components tree to workflow in scheduler view | Daniel Crawl | 03/28/2011 03:33 PM |
| 5172 | Bug | Resolved | Normal | Exceptions are sometimes thrown during sensor workflow run | Daniel Crawl | 04/07/2011 11:14 AM |
| 5201 | Bug | Resolved | Normal | track changes on span server | Daniel Crawl | 02/14/2011 01:45 PM |
| 5202 | Bug | In Progress | Normal | update existing site layout with span changes | Derik Barseghian | 08/30/2012 05:34 PM |
| 5205 | Bug | Resolved | Normal | Sensor site components not yet in tree | Daniel Crawl | 02/14/2011 01:45 PM |
| 5206 | Bug | Resolved | Normal | Importing or opening a sensor site doesn't open into the sensor site view | Daniel Crawl | 02/14/2011 01:45 PM |
| 5207 | Bug | Resolved | Normal | Sensor changes color in response to configuring the actor even if no changes made | Daniel Crawl | 02/14/2011 01:45 PM |
| 5208 | Bug | Resolved | Normal | Setting sensor sampling rate <1 causes errors | Daniel Crawl | 02/14/2011 01:45 PM |
| 5210 | Bug | New | Normal | Focus stolen from user trying to drag components around during execution | Daniel Crawl | 08/24/2012 01:59 PM |
| 5213 | Bug | Resolved | Normal | Query dataturbine server to retrieve the sensors | manish manish | 02/14/2011 01:45 PM |
| 5214 | Bug | Resolved | Normal | Retrieve the last timestamp for which a sensor's data was stored in metacat | manish manish | 02/17/2011 12:00 PM |
| 5216 | Bug | Resolved | Normal | Retrieve the timestamps for all the metadata changes that occurred since a previous time | manish manish | 02/17/2011 12:00 PM |
| 5217 | Bug | Resolved | Normal | Retrieve the metadata of a sensor at a specific timestamp | manish manish | 02/17/2011 12:00 PM |
| 5218 | Bug | Resolved | Normal | Create sensorML string | Jing Tao | 02/14/2011 01:45 PM |
| 5220 | Bug | Resolved | Normal | Create data chunks having same metadata info for a time interval | manish manish | 02/17/2011 12:00 PM |
| 5221 | Bug | Resolved | Normal | Create EML string | manish manish | 02/17/2011 11:59 AM |
| 5222 | Bug | Resolved | Normal | Store data set file and associated EML file into metacat | manish manish | 02/17/2011 11:59 AM |
| 5223 | Bug | Resolved | Normal | Store the last timestamp of data store for a sensor to the local database | manish manish | 02/17/2011 11:59 AM |
| 5226 | Bug | Resolved | Normal | User should be warned to design a report if there isn't a report when scheduling | Jing Tao | 02/14/2011 01:45 PM |
| 5235 | Bug | Resolved | Normal | Scheduler GUI can schedule any wf (even local ones). | Jing Tao | 02/23/2011 04:55 PM |
| 5236 | Bug | Resolved | Normal | The list on the left panel of the scheduler should only show WF objects that can be scheduled. | Jing Tao | 02/14/2011 01:45 PM |

| # | Tracker | Status | Priority | Subject | Assignee | Updated |
|------|---------|-------------|----------|---|------------------|---------------------|
| 5251 | Bug | Resolved | Normal | using File->Open MoML... always opens model into Sensor Site view | Sean Riddle | 02/14/2011 01:45 PM |
| 5252 | Bug | In Progress | Normal | Plotting bugs | Derik Barseghian | 06/22/2012 04:31 PM |
| 5253 | Bug | Resolved | Normal | SpanToDT timestamp bug | Daniel Crawl | 04/12/2011 03:02 PM |
| 5261 | Bug | Resolved | Normal | Get an error when execute the dataturbineToMetacat workflow in the second time | Jing Tao | 02/25/2011 11:11 AM |
| 5274 | Bug | Resolved | Normal | Trying to schedule workflow with report layout puts up prompt about no report layout | Jing Tao | 02/14/2011 01:45 PM |
| 5275 | Bug | Resolved | Normal | Executing sensor-view workflow records provenance | Daniel Crawl | 02/14/2011 01:45 PM |
| 5286 | Bug | Resolved | Normal | Remove the override of EntityTreeModel | Derik Barseghian | 06/15/2012 02:19 PM |
| 5287 | Bug | Resolved | Normal | Remove the override of ActorMetadataKAREntryHandler | Daniel Crawl | 03/29/2011 02:35 PM |
| 5303 | Bug | Resolved | Normal | The workflow which archive sensor data into metacat can upload data even no new data was generated | Jing Tao | 03/22/2011 04:33 PM |
| 5313 | Bug | New | Normal | fix Import Sensor Site and Export Site to KML menu item issues | Derik Barseghian | 03/27/2012 02:13 PM |
| 5315 | Bug | Resolved | Normal | Sensor Site view Components only filtered when All Ontologies and Folders selected | Derik Barseghian | 03/29/2011 03:22 PM |
| 5319 | Bug | Resolved | Normal | The workflow which archive sensor data into metacat can upload incorrect data set when new data is coming | Jing Tao | 03/22/2011 04:30 PM |
| 5321 | Bug | Resolved | Normal | sensor settings made by kepler user lost on SPAN restart | Daniel Crawl | 04/18/2011 03:40 PM |
| 5322 | Bug | Resolved | Normal | dcd_mgr crashes often | Derik Barseghian | 03/08/2011 02:43 PM |
| 5323 | Bug | Resolved | Normal | saving Site Layout workflow makes Sensor actor parameters editable | Daniel Crawl | 03/03/2011 03:10 PM |
| 5324 | Bug | Resolved | Normal | dcd_mgr buffer too small -- xxx Lost data.. messages | Derik Barseghian | 04/04/2011 09:48 AM |
| 5332 | Bug | Resolved | Normal | cr1k_d doesn't reliably connect to logger | Derik Barseghian | 04/12/2011 11:48 AM |
| 5335 | Bug | Resolved | Normal | SpanToDT should write metadata first rather than data when it starts up | Daniel Crawl | 03/04/2011 10:18 AM |
| 5341 | Bug | New | Normal | Belkin f5u409 usb=>serial dongle periodically stops working | Derik Barseghian | 08/30/2012 05:34 PM |
| 5356 | Bug | Resolved | Normal | ArchivingDataturbine workflow couldn't update the second sensor's lastArchiving time in command line mode | Jing Tao | 04/04/2011 04:12 PM |
| 5359 | Bug | Resolved | Normal | SpanToDT NoClassDefFoundError | Derik Barseghian | 03/30/2011 10:36 AM |
| 5360 | Bug | Resolved | Normal | changes to a sensor parameter might not take effect until next current sample | Derik Barseghian | 04/18/2011 03:39 PM |
| 5362 | Bug | New | Normal | Create a GUI so user can easily archive a sensor's data from a dataturbine to a metacat | Jing Tao | 05/30/2012 09:03 AM |
| 5363 | Bug | New | Normal | spanTodt performance | Derik Barseghian | 08/30/2012 05:34 PM |
| 5364 | Bug | New | Normal | DataTurbine server memory error | Derik Barseghian | 03/26/2012 01:03 PM |
| 5375 | Bug | Resolved | Normal | data not sent out after accumulating a large number of files in pending/ | Derik Barseghian | 04/05/2011 04:42 PM |
| 5377 | Bug | New | Normal | DataTurbine actor fetch time outs (blockTimeout param not used?) | Derik Barseghian | 08/30/2012 05:34 PM |
| 5378 | Bug | Resolved | Normal | add retry logic to SpanTodt, attempt to recover if RBNN goes down | Derik Barseghian | 06/14/2012 08:45 PM |
| 5379 | Bug | Resolved | Normal | SPAN - add writing metadata changes to pending files | Daniel Crawl | 04/18/2011 02:03 PM |
| 5390 | Bug | Resolved | Normal | EML created by DataTurbineToMetacat workflow should have the spatial coverage | Derik Barseghian | 05/04/2011 04:40 PM |
| 5400 | Bug | New | Normal | User can specify the interval of data chunk in the workflow archiving dataturbine data to metacat | Derik Barseghian | 04/26/2012 02:01 PM |
| 5401 | Bug | New | Normal | Workflow archiving dataturbine data to metacat should check the last archiving time through repository | Derik Barseghian | 05/12/2011 02:14 PM |

| # | Tracker | Status | Priority | Subject | Assignee | Updated |
|------|---------|-------------|----------|--|------------------|---------------------|
| 5403 | Bug | Resolved | Normal | Improve the performance of the workflow archiving data from dataturbine to metacat | Derik Barseghian | 08/24/2012 07:35 PM |
| 5404 | Bug | Resolved | Normal | change-sampling.kar demo no longer works | Derik Barseghian | 03/27/2012 07:49 PM |
| 5408 | Bug | Resolved | Normal | dataturbine actor should reuse connection | Derik Barseghian | 03/29/2012 06:49 PM |
| 5417 | Bug | Resolved | Normal | changes to a sensor's serial-number param do not get written to config file | Derik Barseghian | 05/31/2011 01:48 PM |
| 5423 | Bug | New | Normal | Put kepler-server war file and kepler executatbe as part of normal installation procedure | Derik Barseghian | 03/26/2012 01:19 PM |
| 5580 | Bug | Resolved | Normal | create sensor-view module documentation | Derik Barseghian | 08/03/2012 02:05 PM |
| 5582 | Bug | New | Normal | DataTurbine server crashing the JRE | Derik Barseghian | 07/27/2012 04:06 PM |
| 5583 | Bug | New | Normal | Sensor Simulator controllable through Kepler | Derik Barseghian | 08/30/2012 06:03 PM |
| 5592 | Bug | Resolved | Normal | Site Layout DE Director missing documentation | Derik Barseghian | 06/13/2012 07:08 PM |
| 5600 | Bug | New | Normal | Import Site Layout performance is poor for many connections at once | Derik Barseghian | 05/07/2012 04:11 PM |
| 5605 | Bug | Resolved | Normal | Kepler scheduler doesn't work for local workflows in windows os | Jing Tao | 05/30/2012 08:55 AM |
| 5606 | Bug | Resolved | Normal | move plotting classes to sensor-view | Derik Barseghian | 06/18/2012 07:02 PM |
| 5610 | Bug | Resolved | Normal | check that build system can handle a "0.9.0" release | Derik Barseghian | 06/22/2012 05:20 PM |
| 5630 | Bug | New | Normal | See about removing one set of ColorTableCellEditor and ColorTableCellRender classes | Derik Barseghian | 06/18/2012 03:45 PM |
| 5672 | Bug | New | Normal | java -jar sensorview-utils-1.0.jar should invoke a simple java app that prints help | Derik Barseghian | 08/10/2012 03:53 PM |
| 5675 | Bug | New | Normal | new ProgressMeter demo workflows give errors when opening in sensor-view-0.9.0 | Derik Barseghian | 08/30/2012 05:34 PM |
| 5678 | Bug | New | Normal | growingDegreeDays workflow at kepler repository has type resolve error | Derik Barseghian | 08/30/2012 05:34 PM |
| 5679 | Bug | In Progress | Normal | the workflows in sensor-view should be resaved beneath sensor-view-0.9.0 so users aren't prompted to force open them | Derik Barseghian | 08/30/2012 05:34 PM |
| 5681 | Bug | Resolved | Normal | Tracking bug for sensor-view-0.9.0 release testing | Derik Barseghian | 08/30/2012 09:37 PM |
| 5683 | Bug | Resolved | Normal | archiveDataturbineDataToMetacat.kar can fail with an IOException on win7 and XP | Jing Tao | 08/30/2012 05:57 PM |
| 5684 | Bug | Resolved | Normal | Add warning to archiving workflow that it must be run on one machine to not produce overlapping datasets | Derik Barseghian | 08/30/2012 06:09 PM |
| 5685 | Bug | New | Normal | data isn't always chunked properly | Derik Barseghian | 08/30/2012 05:34 PM |
| 5686 | Bug | New | Normal | datasets produced by archiveDataturbineDataToMetacat workflow show samples 'sliding' in time | Derik Barseghian | 08/30/2012 05:34 PM |