

Kepler - Issues

#	Tracker	Status	Priority	Subject	Assignee	Updated
5686	Bug	New	Normal	datasets produced by archiveDataturbineDataToMetacat workflow show samples 'sliding' in time	Derik Barseghian	08/30/2012 05:34 PM
5685	Bug	New	Normal	data isn't always chunked properly	Derik Barseghian	08/30/2012 05:34 PM
5678	Bug	New	Normal	growingDegreeDays workflow at kepler repository has type resolve error	Derik Barseghian	08/30/2012 05:34 PM
5675	Bug	New	Normal	new ProgressMeter demo workflows give errors when opening in sensor-view-0.9.0	Derik Barseghian	08/30/2012 05:34 PM
5672	Bug	New	Normal	java -jar sensorview-utils-1.0.jar should invoke a simple java app that prints help	Derik Barseghian	08/10/2012 03:53 PM
5630	Bug	New	Normal	See about removing one set of ColorTableCellEditor and ColorTableCellRender classes	Derik Barseghian	06/18/2012 03:45 PM
5600	Bug	New	Normal	Import Site Layout performance is poor for many connections at once	Derik Barseghian	05/07/2012 04:11 PM
5583	Bug	New	Normal	Sensor Simulator controllable through Kepler	Derik Barseghian	08/30/2012 06:03 PM
5582	Bug	New	Normal	DataTurbine server crashing the JRE	Derik Barseghian	07/27/2012 04:06 PM
5423	Bug	New	Normal	Put kepler-server war file and kepler executatlbe as part of normal installation procedure	Derik Barseghian	03/26/2012 01:19 PM
5401	Bug	New	Normal	Workflow archiving dataturbine data to metacat should check the last archiving time through repository	Derik Barseghian	05/12/2011 02:14 PM
5400	Bug	New	Normal	User can specify the interval of data chunk in the workflow archiving dataturbine data to metacat	Derik Barseghian	04/26/2012 02:01 PM
5377	Bug	New	Normal	DataTurbine actor fetch time outs (blockTimeout param not used?)	Derik Barseghian	08/30/2012 05:34 PM
5364	Bug	New	Normal	DataTurbine server memory error	Derik Barseghian	03/26/2012 01:03 PM
5363	Bug	New	Normal	spanTodt performance	Derik Barseghian	08/30/2012 05:34 PM
5362	Bug	New	Normal	Create a GUI so user can easily archive a senosr's data from a dataturbine to a metacat	Jing Tao	05/30/2012 09:03 AM
5341	Bug	New	Normal	Belkin f5u409 usb=>serial dongle periodically stops working	Derik Barseghian	08/30/2012 05:34 PM
5313	Bug	New	Normal	fix Import Sensor Site and Export Site to KML menu item issues	Derik Barseghian	03/27/2012 02:13 PM
5210	Bug	New	Normal	Focus stolen from user trying to drag components around during execution	Daniel Crawl	08/24/2012 01:59 PM
5171	Bug	New	Normal	link workflow in components tree to workflow in scheduler view	Daniel Crawl	03/28/2011 03:33 PM
4773	Bug	New	Normal	Data processing on the GPP	Daniel Crawl	03/28/2011 03:22 PM
4763	Bug	New	Normal	create gui to access datalogger program	Derik Barseghian	04/26/2012 10:16 PM
4758	Bug	New	Normal	search for site components in kepler's data tab	Jing Tao	03/26/2012 01:22 PM
4750	Bug	New	Normal	create wiring table gui	Daniel Crawl	03/28/2011 03:10 PM
4747	Bug	New	Normal	import & export site layout to SensorML	Daniel Crawl	03/28/2011 03:09 PM
4741	Bug	New	Normal	create icons for engineering view components	Daniel Crawl	05/25/2011 04:19 PM
5679	Bug	In Progress	Normal	the workflows in sensor-view should be resaved beneath sensor-view-0.9.0 so users aren't prompted to force open them	Derik Barseghian	08/30/2012 05:34 PM
5252	Bug	In Progress	Normal	Plotting bugs	Derik Barseghian	06/22/2012 04:31 PM
5202	Bug	In Progress	Normal	update existing site layout with span changes	Derik Barseghian	08/30/2012 05:34 PM
5116	Bug	In Progress	Normal	add lat/lon to sensor metadata and use during import	Daniel Crawl	03/28/2011 03:26 PM
4746	Bug	In Progress	Normal	ability to create a Site Layout report	Derik Barseghian	03/26/2012 01:35 PM

#	Tracker	Status	Priority	Subject	Assignee	Updated
5684	Bug	Resolved	Normal	Add warning to archiving workflow that it must be run on one machine to not produce overlapping datasets	Derik Barseghian	08/30/2012 06:09 PM
5683	Bug	Resolved	Normal	archiveDataturbineDataToMetacat.kar can fail with an IOException on win7 and XP	Jing Tao	08/30/2012 05:57 PM
5681	Bug	Resolved	Normal	Tracking bug for sensor-view-0.9.0 release testing	Derik Barseghian	08/30/2012 09:37 PM
5610	Bug	Resolved	Normal	check that build system can handle a "0.9.0" release	Derik Barseghian	06/22/2012 05:20 PM
5606	Bug	Resolved	Normal	move plotting classes to sensor-view	Derik Barseghian	06/18/2012 07:02 PM
5605	Bug	Resolved	Normal	Kepler scheduler doesn't work for local workflows in windows os	Jing Tao	05/30/2012 08:55 AM
5592	Bug	Resolved	Normal	Site Layout DE Director missing documentation	Derik Barseghian	06/13/2012 07:08 PM
5580	Bug	Resolved	Normal	create sensor-view module documentation	Derik Barseghian	08/03/2012 02:05 PM
5417	Bug	Resolved	Normal	changes to a sensor's serial-number param do not get written to config file	Derik Barseghian	05/31/2011 01:48 PM
5408	Bug	Resolved	Normal	dataturbine actor should reuse connection	Derik Barseghian	03/29/2012 06:49 PM
5404	Bug	Resolved	Normal	change-sampling.kar demo no longer works	Derik Barseghian	03/27/2012 07:49 PM
5403	Bug	Resolved	Normal	Improve the performance of the workflow archiving data from dataturbine to metacat	Derik Barseghian	08/24/2012 07:35 PM
5390	Bug	Resolved	Normal	EML created by DataTurbineToMetacat workflow should have the spatial coverage	Derik Barseghian	05/04/2011 04:40 PM
5379	Bug	Resolved	Normal	SPAN - add writing metadata changes to pending files	Daniel Crawl	04/18/2011 02:03 PM
5378	Bug	Resolved	Normal	add retry logic to SpanTodt, attempt to recover if RBNB goes down	Derik Barseghian	06/14/2012 08:45 PM
5375	Bug	Resolved	Normal	data not sent out after accumulating a large number of files in pending/	Derik Barseghian	04/05/2011 04:42 PM
5360	Bug	Resolved	Normal	changes to a sensor parameter might not take effect until next current sample	Derik Barseghian	04/18/2011 03:39 PM
5359	Bug	Resolved	Normal	SpanToDT NoClassDefFoundError	Derik Barseghian	03/30/2011 10:36 AM
5356	Bug	Resolved	Normal	ArchivingDataturbine workflow couldn't update the second sensor's lastArchiving time in command line mode	Jing Tao	04/04/2011 04:12 PM
5335	Bug	Resolved	Normal	SpanToDT should write metadata first rather than data when it starts up	Daniel Crawl	03/04/2011 10:18 AM
5332	Bug	Resolved	Normal	cr1k_d doesn't reliably connect to logger	Derik Barseghian	04/12/2011 11:48 AM
5324	Bug	Resolved	Normal	dcd_mgr buffer too small -- xxx Lost data.. messages	Derik Barseghian	04/04/2011 09:48 AM
5323	Bug	Resolved	Normal	saving Site Layout workflow makes Sensor actor parameters editable	Daniel Crawl	03/03/2011 03:10 PM
5322	Bug	Resolved	Normal	dcd_mgr crashes often	Derik Barseghian	03/08/2011 02:43 PM
5321	Bug	Resolved	Normal	sensor settings made by kepler user lost on SPAN restart	Daniel Crawl	04/18/2011 03:40 PM
5319	Bug	Resolved	Normal	The workflow which archive sensor data into metacat can upload incorrect data set when new data is coming	Jing Tao	03/22/2011 04:30 PM
5315	Bug	Resolved	Normal	Sensor Site view Components only filtered when All Ontologies and Folders selected	Derik Barseghian	03/29/2011 03:22 PM
5303	Bug	Resolved	Normal	The workflow which archive sensor data into metacat can upload data even no new data was generated	Jing Tao	03/22/2011 04:33 PM
5287	Bug	Resolved	Normal	Remove the override of ActorMetadataKAREntryHandler	Daniel Crawl	03/29/2011 02:35 PM
5286	Bug	Resolved	Normal	Remove the override of EntityTreeModel	Derik Barseghian	06/15/2012 02:19 PM
5275	Bug	Resolved	Normal	Executing sensor-view workflow records provenance	Daniel Crawl	02/14/2011 01:45 PM

#	Tracker	Status	Priority	Subject	Assignee	Updated
5274	Bug	Resolved	Normal	Trying to schedule workflow with report layout puts up prompt about no report layout	Jing Tao	02/14/2011 01:45 PM
5261	Bug	Resolved	Normal	Get an error when execute the dataturbineToMetacat workflow in the second time	Jing Tao	02/25/2011 11:11 AM
5253	Bug	Resolved	Normal	SpanToDT timestamp bug	Daniel Crawl	04/12/2011 03:02 PM
5251	Bug	Resolved	Normal	using File->Open MoML... always opens model into Sensor Site view	Sean Riddle	02/14/2011 01:45 PM
5236	Bug	Resolved	Normal	The list on the left panel of the scheduler should only show WF objects that can be scheduled.	Jing Tao	02/14/2011 01:45 PM
5235	Bug	Resolved	Normal	Scheduler GUI can schedule any wf (even local ones).	Jing Tao	02/23/2011 04:55 PM
5226	Bug	Resolved	Normal	User should be warned to design a report if there isn't a report when scheduling	Jing Tao	02/14/2011 01:45 PM
5223	Bug	Resolved	Normal	Store the last timestamp of data store for a sensor to the local database	manish manish	02/17/2011 11:59 AM
5222	Bug	Resolved	Normal	Store data set file and associated EML file into metacat	manish manish	02/17/2011 11:59 AM
5221	Bug	Resolved	Normal	Create EML string	manish manish	02/17/2011 11:59 AM
5220	Bug	Resolved	Normal	Create data chunks having same metadata info for a time interval	manish manish	02/17/2011 12:00 PM
5218	Bug	Resolved	Normal	Create sensorML string	Jing Tao	02/14/2011 01:45 PM
5217	Bug	Resolved	Normal	Retrieve the metadata of a sensor at a specific timestamp	manish manish	02/17/2011 12:00 PM
5216	Bug	Resolved	Normal	Retrieve the timestamps for all the metadata changes that occurred since a previous time	manish manish	02/17/2011 12:00 PM
5214	Bug	Resolved	Normal	Retrieve the last timestamp for which a sensor's data was stored in metacat	manish manish	02/17/2011 12:00 PM
5213	Bug	Resolved	Normal	Query dataturbine server to retrieve the sensors	manish manish	02/14/2011 01:45 PM
5208	Bug	Resolved	Normal	Setting sensor sampling rate <1 causes errors	Daniel Crawl	02/14/2011 01:45 PM
5207	Bug	Resolved	Normal	Sensor changes color in response to configuring the actor even if no changes made	Daniel Crawl	02/14/2011 01:45 PM
5206	Bug	Resolved	Normal	Importing or opening a sensor site doesn't open into the sensor site view	Daniel Crawl	02/14/2011 01:45 PM
5205	Bug	Resolved	Normal	Sensor site components not yet in tree	Daniel Crawl	02/14/2011 01:45 PM
5201	Bug	Resolved	Normal	track changes on span server	Daniel Crawl	02/14/2011 01:45 PM
5172	Bug	Resolved	Normal	Exceptions are sometimes thrown during sensor workflow run	Daniel Crawl	04/07/2011 11:14 AM
5169	Bug	Resolved	Normal	select more than one remote repository	Daniel Crawl	02/16/2011 04:50 PM
5164	Bug	Resolved	Normal	Don't show Workflow Run Manager and tag workflow drop-down list on Schedule tab of Workflow Scheduler view	Derik Barseghian	02/14/2011 01:45 PM
5133	Bug	Resolved	Normal	Authentication and authorization of GPP server	Daniel Crawl	02/14/2011 01:45 PM
5132	Bug	Resolved	Normal	Connecting Workflow Run Manager to remote KAR store should prompt for credentials	Derik Barseghian	02/14/2011 01:45 PM
5131	Bug	Resolved	Normal	Authentication and authorization of Scheduler server	Jing Tao	02/14/2011 01:45 PM
5130	Bug	Resolved	Normal	Need a login and logout interface for authenticating a user	Jing Tao	02/14/2011 01:45 PM
5077	Bug	Resolved	Normal	add real inputs and outputs to sensor actor	Daniel Crawl	02/14/2011 01:45 PM
5062	Bug	Resolved	Normal	create bugs, mockups, eng view page updates showing how authentication will work	Derik Barseghian	02/14/2011 01:45 PM
5050	Bug	Resolved	Normal	Automatically filter workflow run manager runs based on selected workflow	Derik Barseghian	02/14/2011 01:45 PM
5049	Bug	Resolved	Normal	Prompt for credentials when connecting to remote kepler server	Derik Barseghian	02/14/2011 01:45 PM

#	Tracker	Status	Priority	Subject	Assignee	Updated
5042	Bug	Resolved	Normal	create span simulator	Daniel Crawl	02/14/2011 01:45 PM
5041	Bug	Resolved	Normal	display recent data next to icon	Daniel Crawl	02/14/2011 01:45 PM
5040	Bug	Resolved	Normal	create views, tabs, configuration	Daniel Crawl	02/14/2011 01:45 PM
5033	Bug	Resolved	Normal	Workflow Run Manager - Allow multiple instances of WRM in one Kepler instance	Derik Barseghian	02/14/2011 01:45 PM
5032	Bug	Resolved	Normal	Workflow Run Manager - ability to connect to different prov stores from gui actions	Derik Barseghian	02/14/2011 01:45 PM
5028	Bug	Resolved	Normal	dataturbine overwrites recent data when frequently detaching	Daniel Crawl	02/14/2011 01:45 PM
5016	Bug	Resolved	Normal	mirror dataturbine via command line	Daniel Crawl	02/14/2011 01:45 PM
4921	Bug	Resolved	Normal	find reports for sensor in site layout	Daniel Crawl	02/18/2011 04:50 PM
4762	Bug	Resolved	Normal	create gui to control sensor from kepler	Daniel Crawl	02/14/2011 01:45 PM
4761	Bug	Resolved	Normal	install and configure SPAN software on gumstix	Daniel Crawl	02/14/2011 01:45 PM
4760	Bug	Resolved	Normal	software to transfer sensor data from SPAN to DT	Daniel Crawl	02/14/2011 01:45 PM
4759	Bug	Resolved	Normal	install dataturbine on gumstix	Daniel Crawl	02/14/2011 01:45 PM
4757	Bug	Resolved	Normal	transfer sensor data from dataturbine to metacat	manish manish	02/17/2011 12:00 PM
4756	Bug	Resolved	Normal	allow saving of sensor workflow output	manish manish	02/17/2011 12:01 PM
4755	Bug	Resolved	Normal	update workflow run manager and reporting to display runs of sensor workflows	Derik Barseghian	02/14/2011 01:45 PM
4754	Bug	Resolved	Normal	update metacat workflow execution scheduler	Jing Tao	02/14/2011 01:45 PM
4753	Bug	Resolved	Normal	create gui for scheduled execution of sensor workflows on server	Jing Tao	02/14/2011 01:45 PM
4752	Bug	Resolved	Normal	create a sensor plots gui	Sean Riddle	02/14/2011 01:45 PM
4751	Bug	Resolved	Normal	implement "run" for site layout	Daniel Crawl	02/14/2011 01:45 PM
4748	Bug	Resolved	Normal	create google earth kml from component coordinates	Daniel Crawl	02/14/2011 01:45 PM
4745	Bug	Resolved	Normal	load & save site layout to metacat	Derik Barseghian	02/15/2011 06:32 PM
4744	Bug	Resolved	Normal	load & save site layout to local kar file	Derik Barseghian	05/25/2011 04:19 PM
4743	Bug	Resolved	Normal	create gui to edit documentation metadata for component	Daniel Crawl	02/14/2011 01:45 PM
4742	Bug	Resolved	Normal	create engineering view model type	Sean Riddle	02/14/2011 01:45 PM