

MetacatUI

| | 2019-4 | | | | 2019-5 | | | | 2019-6 | | | | 2019-7 | | | | 2019-8 | | | | 2019-9 | | | | | | | |
|--|------------------|----|----|----|--------|----|----|----|--------|----|----|----|--------|----|----|----|--------|----|----|----|--------|----|----|----|----|----|--|--|
| | 14 | 15 | 16 | 17 | 18 | 19 | 20 | 21 | 22 | 23 | 24 | 25 | 26 | 27 | 28 | 29 | 30 | 31 | 32 | 33 | 34 | 35 | 36 | 37 | 38 | 39 | | |
| MetacatUI | MetacatUI | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Design and implement 'Your Collections' feature | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Port web-based data-registry to backbone/bootstrap | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Add result thumbnails to results listing | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Plans page | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Add Most Cited section to pre-canned sidebar (...) | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Create "filter" views and models to control (...) | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Enhance SEO of MetacatUI | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Add capability to switch between querying (...) | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Add provenance fields to the online registry | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Implement pre-caching of one or more prior (...) | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| KNB rebranding | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Choose new site name | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Implement Featured Data query and display | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Mechanism to flag data as featured for (...) | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Create mechanism to associate images (...) | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Enable sub-text searching in Solr queries | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Sort by Identifier sorts capitalized letters (...) | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Add ability to set logo and brand for group | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Add delete button to the Metadata view for (...) | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| + characters are not URL-encoded when part (...) | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| First year label on X-axis of line charts (...) | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| safari gives cert error and fails to load (...) | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Display embedded videos in the metadata view | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Do not send query for geohashes and autocomplete (...) | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Use the same language for unaffiliated accounts (...) | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Display related datasets at the bottom of (...) | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Make filters in the data search view less (...) | | | | | | | | | | | | | | | | | | | | | | | | | | | | |

Add event listeners for hover features on (...)
add additional stats to #profile page
Create and use a field name map in all index (...)
Add more options to the Person filter
Enhance Provenance Display in the Metadata (...)
 Add tooltip to provenance features for (...)
 Create responsive styling for the prov (...)
 Show a broader view of the provenance (...)
 Have left-right swiping animation as (...)
 Add back button for prov trace
 Consider a two-column layout on each (...)
Look at sorting by relevancy features in (...)
Prompt asks for credentials in Chrome on (...)
Allow search terms to be grouped by "OR"
Consider a back button for the search map
Use ITIS API for semantic searching using (...)
Add dataset citation info from PLOS DLM api
Show error message with Solr query error
Add OR filter option
Create more intelligent breadcrumbs
"Invite your colleagues to join DataONE" (...)
Display image in Metadata View for images (...)
Seach for object ID irregularly successful
Create Metadata/MetadataIndex View for loosely-coupled (...)
User interface changes to DataONE theme
Consider giving the user special feedback (...)
Odd sidebar rendering when switching resolutions
View service not rendering entity section
Basic fields on the EML211 model
EMLParty modules
EMLKeyword modules
EMLOnlineDistribution
GeographicCoverage
TemporalCoverage

Taxon

EMLMethods

EMLProject

Serialize an EML model to an EML document

Serialize a System Metadata doc from a DataONEObject (...)

Create a new EML and its System Meta doc (...)

Render an EML model in the UI

Overview section

People section

Dates section

Locations section

Taxa section

Methods section

Projects section

Allow editing of EML display

Make all fields in the EML View editable

Update EML module models when their (...)

Update an EML doc and System Metadata doc (...)

Allow users to edit or create data packages (...)

Serialize a Resource Map from a DataPackage (...)

Remove a data object from a collection

Show data upload form to the user in (...)

Add a new data file to a package

Create a data package from scratch

Parent dataset link in package view shows (...)

incorrect display of non-ascii characters

Odd spacing/sizing/hover behavior in Submit/Login (...)

MetacatUI - 1.14.0

Cache the annotations on each page to (...)

KNB header image 'animates' to fill (...)

Add provenance editor to the Metadata (...)

MetacatUI - 1.X.0

Add ability to 'tag' or annotate data (...)

Render some SystemMetadata details in (...)

- Make results list resizable via jQueryUI (...)
- Add link to user's profile from Metadata (...)
- Indicate which member nodes have no (...)
- Add schema.org dataset annotations to (...)
- Create new layout for displaying 'other (...)
 - Display image thumbnails in the (...)
- Add copy/paste R and Matlab code snippet (...)
- Store the resource map ID of the selected (...)
- Find mapped identities when doing actions (...)
- Consider not mapping search results (...)
- Determine geohash level for map tiles (...)
- Query NCEAS admin db for current projects (...)
- Make COINS work with Chrome (and other (...)
- Allow users to save their search via (...)
- Enhance User, Group, and Member Node (...)
 - Show message-type indicator in (...)
 - Add spatial map of datasets in (...)
 - Add bar graph of downloads over (...)
- Bar labels "Time period of data" graph (...)
- Navigating directly to a dataset #view (...)
- Packages with at least one private object (...)

MetacatUI - 2.0.0

- Create detailed user documentation for (...)
- Popover box in Google Maps does not (...)
- Add MN Services display to search result (...)
- Display loosely-coupled services in (...)
- If the most recent version of a metadata (...)
- A client side data and metadata manager (...)
 - Retrieve an EML doc and parse into (...)
- Add a table of contents to the Metadata (...)

MetacatUI - 2.X.0

- Develop a 'Move Dataset Levels' use (...)